antibodies -online.com





anti-CCR10 antibody

2 Images



()	ve	K\ /		A .
	\cup	1 V/	Щ.	V۷

Overview		
Quantity:	100 μg	
Target:	CCR10	
Reactivity:	Human	
Host:	Armenian Hamster	
Clonality:	Monoclonal	
Conjugate:	This CCR10 antibody is un-conjugated	
Application:	Flow Cytometry (FACS), Immunofluorescence (IF), Blocking Reagent (BR)	
Product Details		
Clone:	6588-5	
Isotype:	IgG	
Cross-Reactivity:	Rhesus Monkey	
Purification:	The antibody was purified by affinity chromatography.	
Target Details		
Target:	CCR10	
Alternative Name:	CCR10 (CCR10 Products)	
Background:	CCR10, also known as GPR-2, is a G-protein-coupled seven transmembrane CC-chemokine receptor. It is the receptor of CCL27 (CTACK/ALP/ILC/ESkine) and CCL28 (MEC) and is expressed on a small subset of T memory cells, IgA-secreting cells, EBV-immortalized B cells,	

dermal microvascular endothelial cells and dermal fibroblasts. The interaction of CCR10 with

its ligands plays a role in the regulation of T cell homing into cutaneous site and IgA-secreting cells migration.


Application Details

Application Notes:	Optimal working dilution should be determined by the investigator.
Restrictions:	For Research Use only

Handling


Concentration:	0.5 mg/mL	
Consentration.	o.o mg/mil	
Buffer:	Phosphate-buffered solution, pH 7.2, containing 0.09 % sodium azide.	
Preservative:	Sodium azide	
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which	
	should be handled by trained staff only.	
Storage:	4 °C	
Storage Comment:	The antibody solution should be stored undiluted between 2°C and 8°C.	

Images



Flow Cytometry

Image 1.



Flow Cytometry

Image 2.