

Datasheet for ABIN2664356

anti-CD1d antibody

2 Images



Overview


100 μg
CD1d (CD1D)
Human
Mouse
Monoclonal
This CD1d antibody is un-conjugated
Flow Cytometry (FACS), Immunofluorescence (IF), DNA Microscopy (DNA Mic), ELISA (Capture)
51-1
IgG2b kappa
The antibody was purified by affinity chromatography.
CD1d (CD1D)
CD1d (CD1D Products)
CD1d is a MHC-like, type I transmembrane protein, member of the CD1 family and the immunoglobulin superfamily. On the cell surface, CD1d forms a heterodimer with β2-microglobulin. CD1d is expressed by antigen-presenting cells such as B cells, monocytes/macrophages, dendritic cells, and some non-lymphoid cells. Cortical thymocytes

Target Details

rarget Details	
	cells analogous to MHC molecule presentation of peptides to T cells.
Pathways:	Regulation of Leukocyte Mediated Immunity, Positive Regulation of Immune Effector Process
Application Details	
Application Notes:	Optimal working dilution should be determined by the investigator.
Restrictions:	For Research Use only
Handling	
Concentration:	0.5 mg/mL
Buffer:	Phosphate-buffered solution, pH 7.2, containing 0.09 % sodium azide.
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	4 °C

Images


Storage Comment:



Flow Cytometry

Image 1.

The antibody solution should be stored undiluted between 2°C and 8°C.



Flow Cytometry

Image 2.