

Datasheet for ABIN2664464
anti-TNFRSF13C antibody[Go to Product page](#)

2 Images

Overview

Quantity:	500 µg
Target:	TNFRSF13C
Reactivity:	Mouse
Host:	Rat
Clonality:	Monoclonal
Conjugate:	This TNFRSF13C antibody is un-conjugated
Application:	Flow Cytometry (FACS), Immunohistochemistry (IHC), Blocking Reagent (BR)

Product Details

Clone:	7H22-E16
Isotype:	IgG1 kappa
Purification:	The antibody was purified by affinity chromatography.

Target Details

Target:	TNFRSF13C
Alternative Name:	CD268 (TNFRSF13C Products)
Background:	BAFF (B cell-activating factor belonging to the TNF family) receptor (BAFF-R) is one of the three receptors that bind to BAFF. It is a type III transmembrane TNF receptor family member. BAFF-R is expressed at high levels in resting B cells and at lower levels in activated B cells, a small subset of activated/memory CD4+ T cells. It is a major mediator of BAFF dependent co-stimulatory response in peripheral B and T cells. It was reported that the mice expressing

Target Details

defective BAFF-R have disrupted B cell maturation. BAFF receptor appears to be particularly important for the regulation of normal B cell survival and maturation, as well as in the pathophysiology of aggressive B-cell malignancies and autoimmune diseases.

Pathways: [NF-kappaB Signaling](#)

Application Details

Application Notes: Optimal working dilution should be determined by the investigator.

Restrictions: For Research Use only

Handling

Concentration: 0.5 mg/mL

Buffer: Phosphate-buffered solution, pH 7.2, containing 0.09 % sodium azide.


Preservative: Sodium azide

Precaution of Use: This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.

Storage: 4 °C


Storage Comment: The antibody solution should be stored undiluted between 2°C and 8°C.

Images



Flow Cytometry

Image 1.



Flow Cytometry

Image 2.