

Datasheet for ABIN2664818

anti-CD73 antibody

2 Images




Overview

Quantity:	100 μg
Target:	CD73 (NT5E)
Reactivity:	Human
Host:	Mouse
Clonality:	Monoclonal
Conjugate:	This CD73 antibody is un-conjugated
Application:	Western Blotting (WB), Intracellular Flow Cytometry (ICFC)
Product Details	
Clone:	AD2
Isotype:	IgG1 kappa
Purification:	The antibody was purified by affinity chromatography.
Target Details	
Target:	CD73 (NT5E)
Alternative Name:	CD73 (NT5E Products)
Background:	CD73 is a 70 kD glycophosphatidylinositol (GPI)-linked 5'-nucleotidase, which is also known as
	ecto-5'-nucleotidase. It converts adenosine monophosphate (AMP) to adenosine. CD73 is
	expressed on subsets of T and B cells, mesenchymal stem cells, follicular dendritic cells,
	endothelial cells, and epithelial cells. It has been reported that CD73 costimulates T cell
	activation, and mediates adhesion of lymphocytes to follicular dendritic cells and endothelial

Target Details	
	cells.
Pathways:	Synaptic Membrane, Ribonucleoside Biosynthetic Process
Application Details	
Application Notes:	Optimal working dilution should be determined by the investigator.
Restrictions:	For Research Use only
Handling	
Concentration:	0.5 mg/ml


Concentration:	0.5 mg/mL
Buffer:	Phosphate-buffered solution, pH 7.2, containing 0.09 % sodium azide.
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	4 °C
Storage Comment:	The antibody solution should be stored undiluted between 2°C and 8°C.

Images



Flow Cytometry

Image 1.



Flow Cytometry

Image 2.