

Datasheet for ABIN2690486

anti-Bassoon antibody[Go to Product page](#)

4 Images

1 Publication

Overview

Quantity:	50 µg
Target:	Bassoon (BSN)
Reactivity:	Rat, Mouse
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This Bassoon antibody is un-conjugated
Application:	Immunohistochemistry (IHC), Western Blotting (WB), Immunocytochemistry (ICC)

Product Details

Purification:	affinity purified
---------------	-------------------

Target Details

Target:	Bassoon (BSN)
Alternative Name:	Bassoon (BSN Products)

Application Details

Application Notes:	Optimal working dilution should be determined by the investigator. This product is not tested in IP yet.
Restrictions:	For Research Use only

Handling

Format:	Lyophilized
Reconstitution:	For reconstitution add 200 µL H ₂ O, then aliquot and store at -20 °C until use.
Buffer:	PBS
Handling Advice:	Affinity purified antibodies are less robust than antisera, since protease inhibitors are also removed during purification. Hence, storage at 4 °C for prolonged periods (i.e. several weeks), is not recommended.
Storage:	-20 °C
Storage Comment:	Unlabeled lyophilized antibodies are stable in this form without loss of quality at ambient temperatures for several weeks or even months. They can be stored at 4°C for several years. Lyophilized antibodies must not be stored in the freezer, they may be destroyed!


Publications

Product cited in:	<p>Helms, Boehm, Asaad, Trezza, Lehmann, Tary-Lehmann: "Direct visualization of cytokine-producing recall antigen-specific CD4 memory T cells in healthy individuals and HIV patients." in: Journal of immunology (Baltimore, Md. : 1950), Vol. 164, Issue 7, pp. 3723-32, (2000) (PubMed).</p> <p>Fujihashi, McGhee, Beagley, McPherson, McPherson, Huang, Kiyono: "Cytokine-specific ELISPOT assay. Single cell analysis of IL-2, IL-4 and IL-6 producing cells." in: Journal of immunological methods, Vol. 160, Issue 2, pp. 181-9, (1993) (PubMed).</p> <p>Czerkinsky, Andersson, Ekre, Nilsson, Klareskog, Ouchterlony: "Reverse ELISPOT assay for clonal analysis of cytokine production. I. Enumeration of gamma-interferon-secreting cells." in: Journal of immunological methods, Vol. 110, Issue 1, pp. 29-36, (1988) (PubMed).</p> <p>Sedgwick, Holt: "A solid-phase immunoenzymatic technique for the enumeration of specific antibody-secreting cells." in: Journal of immunological methods, Vol. 57, Issue 1-3, pp. 301-9, (1983) (PubMed).</p>
-------------------	---




Western Blotting

Image 1. dilution: 1 : 1000, sample: crude synaptosomal fraction of rat brain (P2)



Immunocytochemistry

Image 2. Indirect immunostaining of rat hippocampus neurons (dilution 1 : 500).



Immunohistochemistry

Image 3. Indirect immunostaining of PFA fixed mouse hippocampus sections (dilution 1 : 500).

Please check the [product details page](#) for more images. Overall 4 images are available for ABIN2690486.