antibodies -online.com





anti-Secernin 1 antibody

3 Images



Overview	
Quantity:	50 μg
Target:	Secernin 1 (SCRN1)
Reactivity:	Mouse, Rat
Host:	Rabbit
Clonality:	Polyclonal
Application:	Western Blotting (WB), Immunohistochemistry (IHC), Immunoprecipitation (IP), Immunocytochemistry (ICC)
Product Details	
Purification:	affinity purified
Target Details	

Target:	Secernin 1 (SCRN1)
Alternative Name:	Secernin 1 (SCRN1 Products)
Background:	Synonyms: SCRN 1


Application Details

Application Notes:	Optimal working dilution should be determined by the investigator.
Restrictions:	For Research Use only

Handling


Format:	Lyophilized
Reconstitution:	For reconstitution add 200 µL H2O, then aliquot and store at -20 °C until use.
Buffer:	PBS
Handling Advice:	Affinity purified antibodies are less robust than antisera, since protease inhibitors are also removed during purification. Hence, storage at 4 °C for prolonged periods (i.e. several weeks), is not recommended.
Storage:	-20 °C
Storage Comment:	Unlabeled lyophilized antibodies are stable in this form without loss of quality at ambient temperatures for several weeks or even months. They can be stored at 4°C for several years. Lyophilized antibodies must not be stored in the freezer, they may be destroyed!

Images




Western Blotting

Image 1. dilution: 1 : 1000, sample: mouse brain homogenate



Immunocytochemistry

Image 2. Indirect immunostaining of PFA fixed rat hippocampus neurons with anti-secernin 1 (dilution 1 : 500; red) and mouse anti-synapsin 1 (cat. no. 106 001, dilution 1 : 500; green).



Immunohistochemistry

Image 3. Indirect immunostaining of PFA fixed mouse brain section with anti-secernin 1 (dilution 1 : 200; red) and guinea pig anti-SV2B (cat. no. 119 104, dilution 1 : 200; green).