# antibodies - online.com







# **Contactin 1 ELISA Kit**





#### Overview

Quantity:	96 tests
Target:	Contactin 1 (CNTN1)
Reactivity:	Human
Method Type:	Sandwich ELISA
Detection Range:	0.06-15 ng/mL
Minimum Detection Limit:	0.06 ng/mL
Application:	ELISA

Product Details	
Purpose:	Human Contactin-1 ELISA Kit for Cell Culture Supernatants, Plasma, and Serum samples.
Sample Type:	Cell Culture Supernatant, Plasma, Serum
Analytical Method:	Quantitative
Detection Method:	Colorimetric
Specificity:	The antibody pair provided in this kit recognizes Human Contactin-1 (CNTN1)
Sensitivity:	0.06 ng/mL
Characteristics:	<ul> <li>Strip plates and additional reagents allow for use in multiple experiments</li> <li>Quantitative protein detection</li> <li>Establishes normal range</li> <li>The best products for confirmation of antibody array data</li> </ul>
Components:	Pre-Coated 96-well Strip Microplate

## **Product Details**

- · Wash Buffer
- · Stop Solution
- · Assay Diluent(s)
- · Lyophilized Standard
- · Biotinylated Detection Antibody
- Streptavidin-Conjugated HRP
- · TMB One-Step Substrate

#### Material not included:

- · Distilled or deionized water
- Precision pipettes to deliver 2 μL to 1 μL volumes
- Adjustable 1-25 µL pipettes for reagent preparation
- 100 μL and 1 liter graduated cylinders
- Tubes to prepare standard and sample dilutions
- · Absorbent paper
- Microplate reader capable of measuring absorbance at 450nm
- · Log-log graph paper or computer and software for ELISA data analysis

## **Target Details**

Target:	Contactin 1 (CNTN1)
Alternative Name:	CNTN1 (CNTN1 Products)
Background:	Gene Names: CNTN1  Protein names: Contactin 1 (Clycoprotein gp125) (Neural cell curfoce protein E2)
	Protein names: Contactin-1 (Glycoprotein gp135) (Neural cell surface protein F3)
Gene ID:	1272

Application Notes:	Recommended Dilution for serum and plasma samples 20 fold
Sample Volume:	100 μL
Plate:	Pre-coated
Protocol:	1. Prepare all reagents, samples and standards as instructed in the manual.
	2. Add 100 μL of standard or sample to each well.
	3. Incubate 2.5 h at RT or O/N at 4 °C.
	4. Add 100 μL of prepared biotin antibody to each well.
	5. Incubate 1 h at RT.
	6. Add 100 $\mu$ L of prepared Streptavidin solution to each well.
	7. Incubate 45 min at RT.

8. Add 100  $\mu L$  of TMB One-Step Substrate Reagent to each well.

9. Incubate 30 min at RT.

10. Add 50 µL of Stop Solution to each well.

11. Read at 450 nm immediately.


Restrictions:

For Research Use only

# Handling

Storage:	-20 °C
Storage Comment:	The entire kit may be stored at -20°C for up to 1 year from the date of shipment. Avoid repeated
	freeze-thaw cycles. The kit may be stored at 4°C for up to 6 months. For extended storage, it is
	recommended to store at -80°C.
Expiry Date:	6 months

## **Images**



#### **ELISA**

Image 1.