antibodies - online.com







Kininogen ELISA Kit



Image



Overview

| Quantity: | 96 tests |
|--------------------------|-----------------|
| Target: | Kininogen (KNG) |
| Reactivity: | Human |
| Method Type: | Sandwich ELISA |
| Detection Range: | 24-6.000 ng/mL |
| Minimum Detection Limit: | 24 ng/mL |
| Application: | ELISA |

| Product Details | |
|--------------------|---|
| Purpose: | Human Kininogen ELISA Kit for cell culture supernatants, plasma, and serum samples. |
| Sample Type: | Cell Culture Supernatant, Plasma, Serum |
| Analytical Method: | Quantitative |
| Detection Method: | Colorimetric |
| Specificity: | This ELISA antibody pair detects human Kininogen. Other species not determined. |
| Sensitivity: | 24 ng/mL |
| Characteristics: | Strip plates and additional reagents allow for use in multiple experiments Quantitative protein detection Establishes normal range The best products for confirmation of antibody array data |
| Components: | Pre-Coated 96-well Strip Microplate |

Product Details

- · Wash Buffer
- · Stop Solution
- · Assay Diluent(s)
- · Lyophilized Standard
- · Biotinylated Detection Antibody
- · Streptavidin-Conjugated HRP
- · TMB One-Step Substrate

Material not included:

- Distilled or deionized water
- Precision pipettes to deliver 2 μL to 1 μL volumes
- Adjustable 1-25 µL pipettes for reagent preparation
- 100 μL and 1 liter graduated cylinders
- Tubes to prepare standard and sample dilutions
- · Absorbent paper
- Microplate reader capable of measuring absorbance at 450nm
- · Log-log graph paper or computer and software for ELISA data analysis

Target Details

| Target: | Kininogen (KNG) |
|-------------------|--|
| Alternative Name: | Kininogen (KNG Products) |
| Background: | Gene Names: KNG1 BDK KNG |
| | Protein names: Kininogen-1 (Alpha-2-thiol proteinase inhibitor) (Fitzgerald factor) (High |
| | molecular weight kininogen) (HMWK) (Williams-Fitzgerald-Flaujeac factor) [Cleaved into: |
| | Kininogen-1 heavy chain, T-kinin (Ile-Ser-Bradykinin), Bradykinin (Kallidin I), Lysyl-bradykinin |
| | (Kallidin II), Kininogen-1 light chain, Low molecular weight growth-promoting factor] |
| Gene ID: | 3827 |
| UniProt: | P01042 |

Application Details

| Application Notes: | Recommended Dilution for serum and plasma samples1,000 fold |
|--------------------|--|
| Sample Volume: | 100 μL |
| Plate: | Pre-coated |
| Protocol: | 1. Prepare all reagents, samples and standards as instructed in the manual. 2. Add 100 μ L of standard or sample to each well. 3. Incubate 2.5 h at RT or O/N at 4 °C. |

- 4. Add 100 μL of prepared biotin antibody to each well.
- 5. Incubate 1 h at RT.
- 6. Add 100 µL of prepared Streptavidin solution to each well.
- 7. Incubate 45 min at RT.
- 8. Add 100 μL of TMB One-Step Substrate Reagent to each well.
- 9. Incubate 30 min at RT.
- 10. Add 50 µL of Stop Solution to each well.
- 11. Read at 450 nm immediately.

Restrictions:


For Research Use only

Handling

| Storage: | -20 °C |
|------------------|--|
| Storage Comment: | The entire kit may be stored at -20°C for up to 1 year from the date of shipment. Avoid repeated |
| | freeze-thaw cycles. The kit may be stored at 4°C for up to 6 months. For extended storage, it is |
| | recommended to store at -80°C. |
| | |

Images

Expiry Date:



6 months

ELISA

Image 1.