

Datasheet for ABIN2704154

anti-CD11b antibody





| \sim | | | | |
|--------|-----|-----|-----|---|
| () | ve. | r\/ | 101 | Λ |
| | | | | |

| Quantity: | 100 μg |
|--------------|--------------------------------------|
| Target: | CD11b (ITGAM) |
| Reactivity: | Human |
| Host: | Mouse |
| Clonality: | Monoclonal |
| Conjugate: | This CD11b antibody is un-conjugated |
| Application: | Flow Cytometry (FACS) |
| D 1 1 D 1 1 | |

Product Details


| Purpose: | CD11b Unconjugated Antibody | | |
|------------------|---|--|--|
| Immunogen: | Human PBMC | | |
| Clone: | OKM1 | | |
| Isotype: | IgG2b, kappa | | |
| Characteristics: | The clone OKM1, a mouse monoclonal antibody, binds with a 165 kDa adhesion glycoprotein present in human cells known as CD11b. CD11b associates with the 95 kDa integrin β2 (CD18) to form the CD11b/CD18 complex, also known as Mac-1 or CR3. CD11b is expressed on activated lymphocytes, monocytes, granulocytes, and a subset of NK cells. CD11b functions in cell-cell and cell-substrate interactions and is a receptor for iC3b, CD54 (ICAM-1), CD102 (ICAM-2), and CD50 (ICAM-3). | | |
| Purification: | Purified | | |
| Purity: | >95 % | | |
| | | | |

Product Details GMP Grade Grade: **Target Details** CD11b (ITGAM) Target: Alternative Name: CD11b (ITGAM Products) NCBI Accession: NM_000632 UniProt: P11215 Pathways: Apoptosis, Activation of Innate immune Response, Toll-Like Receptors Cascades, Activated T Cell Proliferation **Application Details** Application Notes: Optimal working dilution should be determined by the investigator. Restrictions: For Research Use only Handling Liquid Format: Concentration: 0.5 mg/mL Buffer: PBS pH 7.2, 0.1 % (w/v) BSA, 0.09 % (w/v) sodium azide Sodium azide Preservative: Precaution of Use: This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which

should be handled by trained staff only.

4°C

Storage:



Flow Cytometry

Image 1.