

# Datasheet for ABIN2704232 **anti-CD3 antibody**

## 2 Images



#### Overview

Quantity:	100 μg
Target:	CD3
Reactivity:	Human
Host:	Mouse
Clonality:	Monoclonal
Conjugate:	This CD3 antibody is un-conjugated
Application:	Flow Cytometry (FACS)


#### **Product Details**

Purpose:	CD3 Unconjugated Antibody
Immunogen:	Human peripheral blood lymphocytes
Clone:	OKT3
Isotype:	IgG2a, kappa
Characteristics:	CD3 $\epsilon$ is a 20kD peptide chain, which together with CD3 $\lambda$ , CD3 $\delta$ , and CD3 $\zeta$ , and a T cell receptor ( $\alpha/\beta$ or $\gamma/$ ) form the CD3/T-cell receptor complex. It is a specific marker for T lymphocytes, NK T cells, and some thymocytes. Crosslinking of TCR initiates an intracellular signaling cascade resulting in cellular activation and proliferation. The OKT3 antibody shows potent immunosuppressive properties in vivo and has been proved effective in the treatment of renal, heart, and liver allograft rejection.
Purification:	Purified
Purity:	>95 %

### **Product Details GMP** Grade Grade: **Target Details** CD3 Target: Alternative Name: CD3 (CD3 Products) NCBI Accession: NM\_000733 UniProt: P07766 Pathways: TCR Signaling, Ubiquitin Proteasome Pathway **Application Details** Optimal working dilution should be determined by the investigator. Application Notes: Restrictions: For Research Use only Handling Format: Liquid Concentration: 0.5 mg/mL Buffer: PBS pH 7.2, 0.1 % (w/v) BSA, 0.09 % (w/v) sodium azide Preservative: Sodium azide Precaution of Use: This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.

Storage:

4°C



Flow Cytometry

Image 1.

Image 2.