antibodies.com

Datasheet for ABIN2712342 PDLIM7 Protein (Transcript Variant 2) (Myc-DYKDDDDK Tag)




Image

Overview	
Quantity:	20 µg
Target:	PDLIM7
Protein Characteristics:	Transcript Variant 2
Origin:	Human
Source:	HEK-293 Cells
Protein Type:	Recombinant
Purification tag / Conjugate:	This PDLIM7 protein is labelled with Myc-DYKDDDDK Tag.
Application:	Antibody Production (AbP), Standard (STD)
Product Details	
Characteristics:	 Recombinant human PDLIM7 (transcript variant 2) protein expressed in HEK293 cells. Produced with end-sequenced ORF clone
Purity:	> 80 % as determined by SDS-PAGE and Coomassie blue staining
Target Details	
Target:	PDLIM7
Alternative Name:	Pdlim7 (PDLIM7 Products)
Target Type:	Viral Protein
Background:	The protein encoded by this gene is representative of a family of proteins composed of conserved PDZ and LIM domains. LIM domains are proposed to function in protein-protein

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 1/3 | Product datasheet for ABIN2712342 | 09/11/2023 | Copyright antibodies-online. All rights reserved.

Target Details

	recognition in a variety of contexts including gene transcription and development and in
	cytoskeletal interaction. The LIM domains of this protein bind to protein kinases, whereas the
	PDZ domain binds to actin filaments. The gene product is involved in the assembly of an actin
	filament-associated complex essential for transmission of ret/ptc2 mitogenic signaling. The
	biological function is likely to be that of an adapter, with the PDZ domain localizing the LIM-
	binding proteins to actin filaments of both skeletal muscle and nonmuscle tissues. Alternative
	splicing of this gene results in multiple transcript variants.
Molecular Weight:	46.3 kDa
NCBI Accession:	NP_976227
Application Details	
Application Notes:	Recombinant human proteins can be used for:
	Native antigens for optimized antibody production
	Positive controls in ELISA and other antibody assays
Comment:	The tag is located at the C-terminal.
Restrictions:	For Research Use only
Handling	
Concentration:	50 µg/mL
Buffer:	25 mM Tris.HCl, pH 7.3, 100 mM glycine, 10 % glycerol.
Storage:	-80 °C
Storage Comment:	Store at -80°C. Thaw on ice, aliquot to individual single-use tubes, and then re-freeze
	immediately. Only 2-3 freeze thaw cycles are recommended.



Western Blotting

Image 1. Validation with Western Blot

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 3/3 | Product datasheet for ABIN2712342 | 09/11/2023 | Copyright antibodies-online. All rights reserved.