# antibodies -online.com





# PTPRN2 Protein (Transcript Variant 2) (Myc-DYKDDDDK Tag)



Image



Go to Product page

$\sim$					
()	VE	۲۱	/1	$\triangle$	Λ

Overview		
Quantity:	20 μg	
Target:	PTPRN2	
Protein Characteristics:	Transcript Variant 2	
Origin:	Human	
Source:	HEK-293 Cells	
Protein Type:	Recombinant	
Purification tag / Conjugate:	This PTPRN2 protein is labelled with Myc-DYKDDDDK Tag.	
Application:	Antibody Production (AbP), Standard (STD)	
Product Details		
Characteristics:	<ul> <li>Recombinant human PTPRN2 (transcript variant 2) protein expressed in HEK293 cells.</li> <li>Produced with end-sequenced ORF clone</li> </ul>	
Purity:	> 80 % as determined by SDS-PAGE and Coomassie blue staining	
Target Details		
Target:	PTPRN2	
Alternative Name:	Ptprn2 (PTPRN2 Products)	
This gene encodes a protein with sequence similarity to receptor-like protein tyrosine phosphatases. However, tyrosine phosphatase activity has not been experimentally of this protein. Studies of the rat ortholog suggest that the encoded protein may instruction as a phosphatidylinositol phosphatase with the ability to dephosphorylate		

## **Target Details**

phosphatidylinositol 3-phosphate and phosphatidylinositol 4,5-diphosphate, and this function
may be involved in the regulation of insulin secretion. This protein has been identified as an
autoantigen in insulin-dependent diabetes mellitus. Alternative splicing results in multiple
transcript variants.

Molecular Weight:	109.4 kDa
-------------------	-----------

NCBI Accession: NP\_570857

## **Application Details**

Application Notes:	Recombinant human proteins can be used for:	
	Native antigens for optimized antibody production	
	Positive controls in ELISA and other antibody assays	
Comment:	The tag is located at the C-terminal.	


For Research Use only

# Handling

Restrictions:

Concentration:	50 μg/mL	
Buffer:	25 mM Tris.HCl, pH 7.3, 100 mM glycine, 10 % glycerol.	
Storage:	-80 °C	
Storage Comment:	Store at -80°C. Thaw on ice, aliquot to individual single-use tubes, and then re-freeze	
	immediately. Only 2-3 freeze thaw cycles are recommended.	

#### **Images**



### **Western Blotting**

Image 1. Validation with Western Blot