antibodies -online.com





TRIM39 Protein (Transcript Variant 2) (Myc-DYKDDDDK Tag)



Image



Go to Product page

| () () () () | 11011 |
|-------------|-------------------------|
| Over | \vee IC \vee \vee |
| 0.0. | |

| OVEIVIEVV | |
|-------------------------------|--|
| Quantity: | 20 μg |
| Target: | TRIM39 |
| Protein Characteristics: | Transcript Variant 2 |
| Origin: | Human |
| Source: | HEK-293 Cells |
| Protein Type: | Recombinant |
| Purification tag / Conjugate: | This TRIM39 protein is labelled with Myc-DYKDDDDK Tag. |
| Application: | Antibody Production (AbP), Standard (STD) |
| Product Details | |
| Characteristics: | Recombinant human TRIM39 / RNF23 (transcript variant 2) protein expressed in HEK293 cells. Produced with end-sequenced ORF clone |
| Purity: | > 80 % as determined by SDS-PAGE and Coomassie blue staining |
| Target Details | |
| Target: | TRIM39 |
| Alternative Name: | Trim39,rnf23 (TRIM39 Products) |
| Background: | The protein encoded by this gene is a member of the tripartite motif (TRIM) family. The TRIM motif includes three zinc-binding domains, a RING, a B-box type 1 and a B-box type 2, and a |

coiled-coil region. The function of this protein has not been identified. This gene lies within the

Target Details

| | major histocompatibility complex class I region on chromosome 6. Alternate splicing results in |
|-------------------|--|
| | two transcript variants encoding different isoforms. |
| Molecular Weight: | 56.2 kDa |
| NCBI Accession: | NP_742013 |


Application Details

| Application Notes: | Recombinant human proteins can be used for: |
|--------------------|--|
| | Native antigens for optimized antibody production |
| | Positive controls in ELISA and other antibody assays |
| Comment: | The tag is located at the C-terminal. |
| Restrictions: | For Research Use only |

Handling

| Concentration: | 50 μg/mL |
|------------------|---|
| Buffer: | 25 mM Tris.HCl, pH 7.3, 100 mM glycine, 10 % glycerol. |
| Storage: | -80 °C |
| Storage Comment: | Store at -80°C. Thaw on ice, aliquot to individual single-use tubes, and then re-freeze immediately. Only 2-3 freeze thaw cycles are recommended. |

Images



Western Blotting

Image 1. Validation with Western Blot