antibodies -online.com





Cullin 4B Protein (CUL4B) (Transcript Variant 1) (Myc-DYKDDDK Tag)



Image



| Go to Produ | uct | page | |
|-------------|-----|------|--|
|-------------|-----|------|--|

| \sim | | | | | |
|--------|-----|----|----|-------------|---|
| | 1// | r۱ | /1 | \triangle | ٨ |

| Quantity: | 20 μg |
|-------------------------------|---|
| Target: | Cullin 4B (CUL4B) |
| Protein Characteristics: | Transcript Variant 1 |
| Origin: | Human |
| Source: | HEK-293 Cells |
| Protein Type: | Recombinant |
| Purification tag / Conjugate: | This Cullin 4B protein is labelled with Myc-DYKDDDDK Tag. |
| Application: | Antibody Production (AbP), Standard (STD) |
| Product Details | |
| Characteristics: | Recombinant human Cullin-4B (transcript variant 1) protein expressed in HEK293 cells. Produced with end-sequenced ORF clone |
| Purity: | > 80 % as determined by SDS-PAGE and Coomassie blue staining |
| Target Details | |
| Target: | Cullin 4B (CUL4B) |
| Alternative Name: | Cullin-4b (CUL4B Products) |
| Background: | This gene is a member of the cullin family. The encoded protein forms a complex that functions as an E3 ubiquitin ligase and catalyzes the polyubiquitination of specific protein substrates in |
| | the cell. The protein interacts with a ring finger protein, and is required for the proteolysis of several regulators of DNA replication including chromatin licensing and DNA replication factor 1 |

Target Details

| | and cyclin E. Multiple transcript variants encoding different isoforms have been found for this gene. |
|-------------------|---|
| Molecular Weight: | 103.8 kDa |
| NCBI Accession: | NP_003579 |


Application Details

| Application Notes: | Recombinant human proteins can be used for: |
|--------------------|--|
| | Native antigens for optimized antibody production |
| | Positive controls in ELISA and other antibody assays |
| Comment: | The tag is located at the C-terminal. |
| Restrictions: | For Research Use only |

Handling

| Concentration: | 50 μg/mL |
|------------------|---|
| Buffer: | 25 mM Tris.HCl, pH 7.3, 100 mM glycine, 10 % glycerol. |
| Storage: | -80 °C |
| Storage Comment: | Store at -80°C. Thaw on ice, aliquot to individual single-use tubes, and then re-freeze immediately. Only 2-3 freeze thaw cycles are recommended. |

Images



Western Blotting

Image 1. Validation with Western Blot