antibodies .- online.com





Claudin 19 Protein (CLDN19) (Transcript Variant 2) (Myc-DYKDDDK Tag)



Go to Product page


1 Image

Overview	
Quantity:	20 μg
Target:	Claudin 19 (CLDN19)
Protein Characteristics:	Transcript Variant 2
Origin:	Human
Source:	HEK-293 Cells
Protein Type:	Recombinant
Purification tag / Conjugate:	This Claudin 19 protein is labelled with Myc-DYKDDDDK Tag.
Application:	Antibody Production (AbP), Standard (STD)
Product Details	
Characteristics:	 Recombinant human Claudin-19 / CLDN19 (transcript variant 2) protein expressed in HEK293 cells.
	Produced with end-sequenced ORF clone
Purity:	> 80 % as determined by SDS-PAGE and Coomassie blue staining
Target Details	
Target:	Claudin 19 (CLDN19)
Alternative Name:	Claudin-19,cldn19 (CLDN19 Products)
Background:	The product of this gene belongs to the claudin family. It plays a major role in tight junction-
	specific obliteration of the intercellular space, through calcium-independent cell-adhesion

activity. Defects in this gene are the cause of hypomagnesemia renal with ocular involvement

Target Details

	(HOMGO). HOMGO is a progressive renal disease characterized by primary renal magnesium wasting with hypomagnesemia, hypercalciuria and nephrocalcinosis associated with severe ocular abnormalities such as bilateral chorioretinal scars, macular colobomata, significant myopia and nystagmus. Alternatively spliced transcript variants encoding distinct isoforms have been identified for this gene.
Molecular Weight:	21.9 kDa
NCBI Accession:	NP_001116867
Pathways:	Cell-Cell Junction Organization, Hepatitis C
Application Details	
Application Notes:	Recombinant human proteins can be used for: Native antigens for optimized antibody production Positive controls in ELISA and other antibody assays
Comment:	The tag is located at the C-terminal.
Restrictions:	For Research Use only
Handling	
Concentration:	50 μg/mL
Buffer:	25 mM Tris.HCl, pH 7.3, 100 mM glycine, 10 % glycerol.
Storage:	-80 °C
Storage Comment:	Store at -80°C. Thaw on ice, aliquot to individual single-use tubes, and then re-freeze immediately. Only 2-3 freeze thaw cycles are recommended.



Western Blotting

Image 1. Validation with Western Blot