antibodies -online.com





CNOT7 Protein (Transcript Variant 1) (Myc-DYKDDDDK Tag)



Overview

Image



Go to Product page

Quantity:	20 μg
Target:	CNOT7
Protein Characteristics:	Transcript Variant 1
Origin:	Human
Source:	HEK-293 Cells
Protein Type:	Recombinant
Purification tag / Conjugate:	This CNOT7 protein is labelled with Myc-DYKDDDDK Tag.
Application:	Antibody Production (AbP), Standard (STD)
Product Details	
Characteristics:	 Recombinant human CNOT7 (transcript variant 1) protein expressed in HEK293 cells. Produced with end-sequenced ORF clone

Target Details


Purity:

Target:	CNOT7
Alternative Name:	Cnot7 (CNOT7 Products)
Background:	The protein encoded by this gene binds to an anti-proliferative protein, B-cell translocation protein 1, which negatively regulates cell proliferation. Binding of the two proteins, which is driven by phosphorylation of the anti-proliferative protein, causes signaling events in cell division that lead to changes in cell proliferation associated with cell-cell contact. The encoded

> 80 % as determined by SDS-PAGE and Coomassie blue staining

Target Details

rarger became	
	protein downregulates the innate immune response and therefore provides a therapeutic target for enhancing its antimicrobial activity against foreign agents. Alternative splicing of this gene results in multiple transcript variants. Related pseudogenes have been identified on chromosomes 1 and X.
Molecular Weight:	32.6 kDa
NCBI Accession:	NP_037486
Pathways:	Ribonucleoprotein Complex Subunit Organization
Application Details	
Application Notes:	Recombinant human proteins can be used for:
	Native antigens for optimized antibody production
	Positive controls in ELISA and other antibody assays
Comment:	The tag is located at the C-terminal.
Restrictions:	For Research Use only
Handling	
Concentration:	50 μg/mL
Buffer:	25 mM Tris.HCl, pH 7.3, 100 mM glycine, 10 % glycerol.
Storage:	-80 °C
Storage Comment:	Store at -80°C. Thaw on ice, aliquot to individual single-use tubes, and then re-freeze immediately. Only 2-3 freeze thaw cycles are recommended.



Western Blotting

Image 1. Validation with Western Blot