antibodies .- online.com





CAMK2B Protein (Transcript Variant 5) (Myc-DYKDDDDK Tag)



Image



Go to Product page


\sim	
()\/△	rview
\cup	1 410 44

Overview	
Quantity:	20 μg
Target:	CAMK2B
Protein Characteristics:	Transcript Variant 5
Origin:	Human
Source:	HEK-293 Cells
Protein Type:	Recombinant
Purification tag / Conjugate:	This CAMK2B protein is labelled with Myc-DYKDDDDK Tag.
Application:	Antibody Production (AbP), Standard (STD)
Product Details	
Characteristics:	 Recombinant human CAMK2B (transcript variant 5) protein expressed in HEK293 cells. Produced with end-sequenced ORF clone
Purity:	> 80 % as determined by SDS-PAGE and Coomassie blue staining
Target Details	
Target:	CAMK2B
Alternative Name:	Camk2b (CAMK2B Products)
Background:	The product of this gene belongs to the serine/threonine protein kinase family and to the Ca(2+)/calmodulin-dependent protein kinase subfamily. Calcium signaling is crucial for several aspects of plasticity at glutamatergic synapses. In mammalian cells, the enzyme is composed of four different chains: alpha, beta, gamma, and delta. The product of this gene is a beta chain.

Target Details

rarget Details	
	It is possible that distinct isoforms of this chain have different cellular localizations and interact
	differently with calmodulin. Alternative splicing results in multiple transcript variants.
Molecular Weight:	56.2 kDa
NCBI Accession:	NP_742078
Pathways:	WNT Signaling, Interferon-gamma Pathway, Myometrial Relaxation and Contraction, Regulation
	of G-Protein Coupled Receptor Protein Signaling, Smooth Muscle Cell Migration, Regulation of
	long-term Neuronal Synaptic Plasticity
Application Details	
Application Notes:	Recombinant human proteins can be used for:
	Native antigens for optimized antibody production
	Positive controls in ELISA and other antibody assays
Comment:	The tag is located at the C-terminal.
Restrictions:	For Research Use only
Handling	
Concentration:	50 μg/mL
Buffer:	25 mM Tris.HCl, pH 7.3, 100 mM glycine, 10 % glycerol.
Storage:	-80 °C
Storage Comment:	Store at -80°C. Thaw on ice, aliquot to individual single-use tubes, and then re-freeze

immediately. Only 2-3 freeze thaw cycles are recommended.



Western Blotting

Image 1. Validation with Western Blot