## antibodies.com

## Datasheet for ABIN2713100 CAMKK2 Protein (Transcript Variant 2) (Myc-DYKDDDDK Tag)



Overview


Image

20 µg
CAMKK2
Transcript Variant 2
Human
HEK-293 Cells
Recombinant
This CAMKK2 protein is labelled with Myc-DYKDDDDK Tag.
Antibody Production (AbP), Standard (STD)
<ul> <li>Recombinant human CAMKK2 (transcript variant 2) protein expressed in HEK293 cells.</li> <li>Produced with end-sequenced ORF clone</li> </ul>
> 80 % as determined by SDS-PAGE and Coomassie blue staining
CAMKK2
Camkk2 (CAMKK2 Products)
The product of this gene belongs to the Serine/Threonine protein kinase family, and to the
Ca(2+)/calmodulin-dependent protein kinase subfamily. The major isoform of this gene plays a
role in the calcium/calmodulin-dependent (CaM) kinase cascade by phosphorylating the
downstream kinases CaMK1 and CaMK4. Protein products of this gene also phosphorylate

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 1/3 | Product datasheet for ABIN2713100 | 09/11/2023 | Copyright antibodies-online. All rights reserved.

## Target Details

	AMP-activated protein kinase (AMPK). This gene has its strongest expression in the brain and
	influences signalling cascades involved with learning and memory, neuronal differentiation and migration, neurite outgrowth, and synapse formation. Alternative splicing results in multiple transcript variants encoding distinct isoforms. The identified isoforms differ in their ability to undergo autophosphorylation and to phosphorylate downstream kinases.
Molecular Weight:	59.4 kDa
NCBI Accession:	NP_705719
Pathways:	AMPK Signaling
Application Details	
Application Notes:	Recombinant human proteins can be used for:
	Native antigens for optimized antibody production
	Positive controls in ELISA and other antibody assays
Comment:	The tag is located at the C-terminal.
Restrictions:	For Research Use only
Handling	
Concentration:	50 µg/mL
Buffer:	25 mM Tris.HCl, pH 7.3, 100 mM glycine, 10 % glycerol.
Storage:	-80 °C
Storage Comment:	Store at -80°C. Thaw on ice, aliquot to individual single-use tubes, and then re-freeze immediately. Only 2-3 freeze thaw cycles are recommended.



Western Blotting

Image 1. Validation with Western Blot

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 3/3 | Product datasheet for ABIN2713100 | 09/11/2023 | Copyright antibodies-online. All rights reserved.