

Datasheet for ABIN2713366

LAMP2 Protein (Transcript Variant A) (Myc-DYKDDDDK Tag)





Go to Product page

| () | ver | 1/1/ | 714 |
|--------|------------------------------------|--------|--------|
| () | $\vee \vdash \vdash \vdash \vdash$ | \/ I E | → \/\/ |
| \sim | v Cı | V I V | ~ v v |
| | | | |

| Overview | | |
|-------------------------------|--|--|
| Quantity: | 20 μg | |
| Target: | LAMP2 | |
| Protein Characteristics: | Transcript Variant A | |
| Origin: | Human | |
| Source: | HEK-293 Cells | |
| Protein Type: | Recombinant | |
| Purification tag / Conjugate: | This LAMP2 protein is labelled with Myc-DYKDDDDK Tag. | |
| Application: | Antibody Production (AbP), Standard (STD) | |
| Product Details | | |
| Characteristics: | Recombinant human CD107b / LAMP2 (transcript variant A) protein expressed in HEK293 cells. | |
| | Produced with end-sequenced ORF clone | |
| Purity: | > 80 % as determined by SDS-PAGE and Coomassie blue staining | |
| Target Details | | |
| Target: | LAMP2 | |
| Alternative Name: | Cd107b,lamp2 (LAMP2 Products) | |
| Background: | The protein encoded by this gene is a member of a family of membrane glycoproteins. This | |
| | glycoprotein provides selectins with carbohydrate ligands. It may play a role in tumor cell | |
| | metastasis. It may also function in the protection, maintenance, and adhesion of the lysosome. | |

Target Details

| | Alternative splicing of this gene results in multiple transcript variants encoding distinct proteins. | |
|-------------------|---|--|
| Molecular Weight: | 42 kDa | |
| NCBI Accession: | NP_002285 | |
| Pathways: | Autophagy | |


Application Details

| Application Notes: | Recombinant human proteins can be used for: | |
|--------------------|--|--|
| | Native antigens for optimized antibody production | |
| | Positive controls in ELISA and other antibody assays | |
| Comment: | The tag is located at the C-terminal. | |
| Restrictions: | For Research Use only | |

Handling

| Concentration: | 50 μg/mL |
|------------------|---|
| Buffer: | 25 mM Tris.HCl, pH 7.3, 100 mM glycine, 10 % glycerol. |
| Storage: | -80 °C |
| Storage Comment: | Store at -80°C. Thaw on ice, aliquot to individual single-use tubes, and then re-freeze immediately. Only 2-3 freeze thaw cycles are recommended. |

Images



Western Blotting

Image 1. Validation with Western Blot