

Datasheet for ABIN2713690

SLAMF6 Protein (Transcript Variant 3) (Myc-DYKDDDDK Tag)





Go to Product page

()	vei	1/1		۱۸۱
\cup	۷CI	VΙ	\subset	٧V

Overview		
Quantity:	20 μg	
Target:	SLAMF6	
Protein Characteristics:	Transcript Variant 3	
Origin:	Human	
Source:	HEK-293 Cells	
Protein Type:	Recombinant	
Purification tag / Conjugate:	This SLAMF6 protein is labelled with Myc-DYKDDDDK Tag.	
Application:	Antibody Production (AbP), Standard (STD)	
Product Details		
Characteristics:	Recombinant human CD352 / SLAMF6 (transcript variant 3) protein expressed in HEK293 cells.	
	Produced with end-sequenced ORF clone	
Purity:	> 80 % as determined by SDS-PAGE and Coomassie blue staining	
Target Details		
Target:	SLAMF6	
Alternative Name:	Cd352,slamf6 (SLAMF6 Products)	
Background:	The protein encoded by this gene is a type I transmembrane protein, belonging to the CD2	
	subfamily of the immunoglobulin superfamily. This encoded protein is expressed on Natural	
	killer (NK), T, and B lymphocytes. It undergoes tyrosine phosphorylation and associates with the	

Target Details

Src homology 2 domain-containing protein (SH2D1A) as well as with SH2 domain-containing
phosphatases (SHPs). It functions as a coreceptor in the process of NK cell activation. It can
also mediate inhibitory signals in NK cells from X-linked lymphoproliferative patients.
Alternative splicing results in multiple transcript variants encoding distinct isoforms.[provided
by RefSeq, May 2010]
32.5
NP_001171644

Application Details


Molecular Weight:

NCBI Accession:

Application Notes:	Recombinant human proteins can be used for:	
	Native antigens for optimized antibody production	
	Positive controls in ELISA and other antibody assays	
Comment:	The tag is located at the C-terminal.	
Restrictions:	For Research Use only	

Handling

Concentration:	50 μg/mL	
Buffer:	25 mM Tris.HCl, pH 7.3, 100 mM glycine, 10 % glycerol.	
Storage:	-80 °C	
Storage Comment:	Store at -80°C. Thaw on ice, aliquot to individual single-use tubes, and then re-freeze immediately. Only 2-3 freeze thaw cycles are recommended.	



Western Blotting

Image 1. Validation with Western Blot