

### Datasheet for ABIN2713733

# ITGA6 Protein (Transcript Variant 2) (Myc-DYKDDDDK Tag)



Overview

**Image** 



Go to Product page

Quantity:	20 μg
Target:	ITGA6
Protein Characteristics:	Transcript Variant 2
Origin:	Human
Source:	HEK-293 Cells
Protein Type:	Recombinant

Purification tag / Conjugate:	This ITGA6 protein is labelled with Myc-DYKDDDDK Tag.	
9 , 9	,	

Application: Antibody Production (AbP), Standard (STD)

### **Product Details**


Characteristics:	<ul> <li>Recombinant human CD49f / ITGA6 (transcript variant 2) protein expressed in HEK293 cells.</li> <li>Produced with end-sequenced ORF clone</li> </ul>
Purity:	> 80 % as determined by SDS-PAGE and Coomassie blue staining

## **Target Details**

Target:	ITGA6
Alternative Name:	Cd49f,itga6 (ITGA6 Products)
Background:	The gene encodes a member of the integrin alpha chain family of proteins. Integrins are heterodimeric integral membrane proteins composed of an alpha chain and a beta chain that function in cell surface adhesion and signaling. The encoded preproprotein is proteolytically processed to generate light and heavy chains that comprise the alpha 6 subunit. This subunit

# **Target Details**

- arget Betane	
	may associate with a beta 1 or beta 4 subunit to form an integrin that interacts with extracellular matrix proteins including members of the laminin family. The alpha 6 beta 4 integrin may promote tumorigenesis, while the alpha 6 beta 1 integrin may negatively regulate erbB2/HER2 signaling. Alternative splicing results in multiple transcript variants.
Molecular Weight:	117.2 kDa
NCBI Accession:	NP_000201
Pathways:	CXCR4-mediated Signaling Events, Brown Fat Cell Differentiation, Integrin Complex
Application Details	
Application Notes:	Recombinant human proteins can be used for:
	Native antigens for optimized antibody production
	Positive controls in ELISA and other antibody assays
Comment:	The tag is located at the C-terminal.
Restrictions:	For Research Use only
Handling	
Concentration:	50 μg/mL
Buffer:	25 mM Tris.HCl, pH 7.3, 100 mM glycine, 10 % glycerol.
Storage:	-80 °C
Storage Comment:	Store at -80°C. Thaw on ice, aliquot to individual single-use tubes, and then re-freeze
	immediately. Only 2-3 freeze thaw cycles are recommended.



# **Western Blotting**

Image 1. Validation with Western Blot