

### Datasheet for ABIN2713928

# CES1 Protein (Transcript Variant 2) (Myc-DYKDDDDK Tag)





$\sim$				
	ive	r\/I	$ \Delta $	٨/
	V C	1 V I		vv

Overview		
Quantity:	20 μg	
Target:	CES1	
Protein Characteristics:	Transcript Variant 2	
Origin:	Human	
Source:	HEK-293 Cells	
Protein Type:	Recombinant	
Purification tag / Conjugate:	This CES1 protein is labelled with Myc-DYKDDDDK Tag.	
Application:	Antibody Production (AbP), Standard (STD)	
Product Details		
Characteristics:	<ul> <li>Recombinant human CES1 / ACAT (transcript variant 2) protein expressed in HEK293 cells.</li> <li>Produced with end-sequenced ORF clone</li> </ul>	
Purity:	> 80 % as determined by SDS-PAGE and Coomassie blue staining	
Target Details		
Target:	CES1	
Alternative Name:	Ces1,acat (CES1 Products)	
Background:	kground: This gene encodes a member of the carboxylesterase large family. The family members a responsible for the hydrolysis or transesterification of various xenobiotics, such as cocain heroin, and endogenous substrates with ester, thioester, or amide bonds. They may particularly acyl and cholesterol ester metabolism, and may play a role in the blood-brain barr	

### **Target Details**

	system. This enzyme is the major liver enzyme and functions in liver drug clearance. Mutations
	of this gene cause carboxylesterase 1 deficiency. Three transcript variants encoding three
	different isoforms have been found for this gene.
Molecular Weight:	60.5 kDa
NCBI Accession:	NP_001020365

Monocarboxylic Acid Catabolic Process

# Application Details


Pathways:

Application Notes:	Recombinant human proteins can be used for:
	Native antigens for optimized antibody production
	Positive controls in ELISA and other antibody assays
Comment:	The tag is located at the C-terminal.
Restrictions:	For Research Use only

## Handling

Concentration:	50 μg/mL
Buffer:	25 mM Tris.HCl, pH 7.3, 100 mM glycine, 10 % glycerol.
Storage:	-80 °C
Storage Comment:	Store at -80°C. Thaw on ice, aliquot to individual single-use tubes, and then re-freeze immediately. Only 2-3 freeze thaw cycles are recommended.

### **Images**



### **Western Blotting**

Image 1. Validation with Western Blot