antibodies -online.com



Datasheet for ABIN2714219

14-3-3 zeta Protein (YWHAZ) (Transcript Variant 3) (Myc-DYKDDDK Tag)



Go to Product pag


1 Image

Overview	
Quantity:	20 μg
Target:	14-3-3 zeta (YWHAZ)
Protein Characteristics:	Transcript Variant 3
Origin:	Human
Source:	HEK-293 Cells
Protein Type:	Recombinant
Purification tag / Conjugate:	This 14-3-3 zeta protein is labelled with Myc-DYKDDDDK Tag.
Application:	Antibody Production (AbP), Standard (STD)
Product Details	
Characteristics:	Recombinant human 14-3-3 protein zeta/delta (transcript variant 3) protein expressed in
	HEK293 cells.Produced with end-sequenced ORF clone
Purity:	> 80 % as determined by SDS-PAGE and Coomassie blue staining
Target Details	
Target:	14-3-3 zeta (YWHAZ)
Alternative Name:	14-3-3 Protein zeta/delta (YWHAZ Products)
Background:	This gene product belongs to the 14-3-3 family of proteins which mediate signal transduction
	by binding to phosphoserine-containing proteins. This highly conserved protein family is found
	in both plants and mammals, and this protein is 99 % identical to the mouse, rat and sheep

Target Details

orthologs. The encoded protein interacts with IRS1 protein, suggesting a role in regulating
insulin sensitivity. Several transcript variants that differ in the 5' UTR but that encode the same
protein have been identified for this gene.
27.6 kDa
NP_001129171
Apoptosis, Hormone Transport, Myometrial Relaxation and Contraction, Regulation of
Leukocyte Mediated Immunity, Positive Regulation of Immune Effector Process, Synaptic
Membrane, Production of Molecular Mediator of Immune Response, Maintenance of Protein
Location
Recombinant human proteins can be used for:
Native antigens for optimized antibody production
Positive controls in ELISA and other antibody assays
The tag is located at the C-terminal.
For Research Use only
50 μg/mL
25 mM Tris.HCl, pH 7.3, 100 mM glycine, 10 % glycerol.
-80 °C
Store at -80°C. Thaw on ice, aliquot to individual single-use tubes, and then re-freeze

immediately. Only 2-3 freeze thaw cycles are recommended.



Western Blotting

Image 1. Validation with Western Blot