# antibodies -online.com





## ACSL5 Protein (Transcript Variant 2) (Myc-DYKDDDDK Tag)



Image



		do to Froduct page

Overview		
Quantity:	20 μg	
Target:	ACSL5	
Protein Characteristics:	Transcript Variant 2	
Origin:	Human	
Source:	HEK-293 Cells	
Protein Type:	Recombinant	
Purification tag / Conjugate:	This ACSL5 protein is labelled with Myc-DYKDDDDK Tag.	
Application:	Antibody Production (AbP), Standard (STD)	
Product Details		
Characteristics:	<ul> <li>Recombinant human ACSL5 (transcript variant 2) protein expressed in HEK293 cells.</li> <li>Produced with end-sequenced ORF clone</li> </ul>	
Purity:	> 80 % as determined by SDS-PAGE and Coomassie blue staining	
Target Details		
Target:	ACSL5	
Alternative Name:	AcsI5 (ACSL5 Products)	
Background:	The protein encoded by this gene is an isozyme of the long-chain fatty-acid-coenzyme A ligase family. Although differing in substrate specificity, subcellular localization, and tissue distribution, all isozymes of this family convert free long-chain fatty acids into fatty acyl-CoA esters, and thereby play a key role in lipid biosynthesis and fatty acid degradation. This isozyme	

### **Target Details**

is highly expressed in uterus and spleen, and in trace amounts in normal brain, but has
markedly increased levels in malignant gliomas. This gene functions in mediating fatty acid-
induced glioma cell growth. Three transcript variants encoding two different isoforms have
been found for this gene.

Molecular Weight:	75.8 kDa
-------------------	----------

NCBI Accession: NP\_976313


## **Application Details**

Application Notes:	Recombinant human proteins can be used for:	
	Native antigens for optimized antibody production	
	Positive controls in ELISA and other antibody assays	
Comment:	The tag is located at the C-terminal.	
Restrictions:	For Research Use only	

## Handling

Concentration:	50 μg/mL	
Buffer:	25 mM Tris.HCl, pH 7.3, 100 mM glycine, 10 % glycerol.	
Storage:	-80 °C	
Storage Comment:	Store at -80°C. Thaw on ice, aliquot to individual single-use tubes, and then re-freeze immediately. Only 2-3 freeze thaw cycles are recommended.	

#### **Images**



#### **Western Blotting**

Image 1. Validation with Western Blot