

Datasheet for ABIN2714459

ASIP Protein (Myc-DYKDDDDK Tag)





Go to Product page

\sim			
	ve	r\/	٨
\cup	V C	1 V I	٧V

Quantity:	20 μg	
Target:	ASIP	
Origin:	Human	
Source:	HEK-293 Cells	
Protein Type:	Recombinant	
Purification tag / Conjugate:	This ASIP protein is labelled with Myc-DYKDDDDK Tag.	
Application:	Antibody Production (AbP), Standard (STD)	
Product Details		
Characteristics:	 Recombinant human Agouti-signaling protein (ASP) protein expressed in HEK293 cells. Produced with end-sequenced ORF clone 	
Purity:	> 80 % as determined by SDS-PAGE and Coomassie blue staining	
Target Details		
Target:	ASIP	
Alternative Name:	Agouti-Signaling Protein (Asp) (ASIP Products)	
Background:	In mice, the agouti gene encodes a paracrine signaling molecule that causes hair follicle melanocytes to synthesize pheomelanin, a yellow pigment, instead of the black or brown pigment, eumelanin. Pleiotropic effects of constitutive expression of the mouse gene include adult-onset obesity, increased tumor susceptibility, and premature infertility. This gene is highly similar to the mouse gene and encodes a secreted protein that may (1) affect the quality of hair	

Target Details

	pigmentation, (2) act as a pharmacological antagonist of alpha-melanocyte-stimulating	
	hormone, (3) play a role in neuroendocrine aspects of melanocortin action, and (4) have a	
	functional role in regulating lipid metabolism in adipocytes.	
Molecular Weight:	12 kDa	
NCBI Accession:	NP_001663	
Pathways:	Cell-Cell Junction Organization, Feeding Behaviour	


Application Details

Application Notes:	Recombinant human proteins can be used for:
	Native antigens for optimized antibody production
	Positive controls in ELISA and other antibody assays
Comment:	The tag is located at the C-terminal.
Restrictions:	For Research Use only

Handling

Concentration:	50 μg/mL
Buffer:	25 mM Tris.HCl, pH 7.3, 100 mM glycine, 10 % glycerol.
Storage:	-80 °C
Storage Comment:	Store at -80°C. Thaw on ice, aliquot to individual single-use tubes, and then re-freeze immediately. Only 2-3 freeze thaw cycles are recommended.

Images



Western Blotting

Image 1. Validation with Western Blot