

Datasheet for ABIN2714570

ALPL Protein (Transcript Variant 1) (Myc-DYKDDDDK Tag)





Go to Product page

Overview

Quantity:	20 μg
Target:	ALPL
Protein Characteristics:	Transcript Variant 1
Origin:	Human
Source:	HEK-293 Cells
Protein Type:	Recombinant
Purification tag / Conjugate:	This ALPL protein is labelled with Myc-DYKDDDDK Tag.
Application:	Antibody Production (AbP), Standard (STD)
Product Details	
Characteristics:	 Recombinant human Alkaline phosphatase / ALPL (transcript variant 1) protein expressed in HEK293 cells. Produced with end-sequenced ORF clone
Characteristics: Purity:	HEK293 cells.
	HEK293 cells. • Produced with end-sequenced ORF clone
Purity:	HEK293 cells. • Produced with end-sequenced ORF clone
Purity: Target Details	 HEK293 cells. Produced with end-sequenced ORF clone > 80 % as determined by SDS-PAGE and Coomassie blue staining
Purity: Target Details Target:	HEK293 cells. • Produced with end-sequenced ORF clone > 80 % as determined by SDS-PAGE and Coomassie blue staining ALPL
Purity: Target Details Target: Alternative Name:	HEK293 cells. • Produced with end-sequenced ORF clone > 80 % as determined by SDS-PAGE and Coomassie blue staining ALPL Alkaline Phosphatase,alpl (ALPL Products)

Target Details

while the tissue non-specific form is located on chromosome 1. The product of this gene is a membrane bound glycosylated enzyme that is not expressed in any particular tissue and is, therefore, referred to as the tissue-nonspecific form of the enzyme. Alternative splicing results in multiple transcript variants, at least one of which encodes a preproprotein that is proteolytically processed to generate the mature enzyme. This enzyme may play a role in bone mineralization. Mutations in this gene have been linked to hypophosphatasia, a disorder that is characterized by hypercalcemia and skeletal defects.

Molecular Weight:

55.5 kDa

NCBI Accession:

NP_000469

Application Details

Application No	otes:
----------------	-------

Recombinant human proteins can be used for:

Native antigens for optimized antibody production

Positive controls in ELISA and other antibody assays

Comment:

The tag is located at the C-terminal.

Restrictions:

For Research Use only

Handling

Concentration:

50 μg/mL

Buffer:

25 mM Tris.HCl, pH 7.3, 100 mM glycine, 10 % glycerol.


Storage:

-80 °C

Storage Comment:

Store at -80°C. Thaw on ice, aliquot to individual single-use tubes, and then re-freeze

immediately. Only 2-3 freeze thaw cycles are recommended.



Western Blotting

Image 1. Validation with Western Blot