antibodies .- online.com





Annexin VII Protein (Transcript Variant 1) (His tag)



Image



| <i>ا</i> ۱ | 1 | - | M | /1 | 0 | |
|------------|-----|----------|-----|-----|--------|------|
| u | 1// | \vdash | 1 \ | / I | - | \/\/ |
| \sim | v | \sim | r٧ | | \sim | v v |

| Overview | |
|-------------------------------|---|
| Quantity: | 10 μg |
| Target: | Annexin VII (ANXA7) |
| Protein Characteristics: | Transcript Variant 1 |
| Origin: | Human |
| Source: | Escherichia coli (E. coli) |
| Protein Type: | Recombinant |
| Purification tag / Conjugate: | This Annexin VII protein is labelled with His tag. |
| Application: | Antibody Production (AbP), Standard (STD) |
| Product Details | |
| Characteristics: | Recombinant human Annexin A7 / ANXA7 (transcript variant 1) protein expressed in E. coli. Produced with end-sequenced ORF clone |
| Purity: | > 95 % as determined by SDS-PAGE and Coomassie blue staining |
| Endotoxin Level: | < 0.1 EU per µg protein as determined by LAL test |
| Target Details | |
| Target: | Annexin VII (ANXA7) |
| Alternative Name: | Annexin a7,anxa7 (ANXA7 Products) |
| Background: | Annexin VII is a member of the annexin family of calcium-dependent phospholipid binding proteins. The Annexin VII gene contains 14 exons and spans approximately 34 kb of DNA. An |

alternatively spliced cassette exon results in two mRNA transcripts of 2.0 and 2.4 kb which are predicted to generate two protein isoforms differing in their N-terminal domain. The alternative splicing event is tissue specific and the mRNA containing the cassette exon is prevalent in brain, heart and skeletal muscle. The transcripts also differ in their 3'-non coding regions by the use of two alternative poly(A) signals. Annexin VII encodes a protein with a molecular weight of approximately 51 kDa with a unique, highly hydrophobic N-terminal domain of 167 amino acids and a conserved C-terminal region of 299 amino acids. The latter domain is composed of alternating hydrophobic and hydrophilic segments. Structural analysis of the protein suggests that Annexin VII is a membrane binding protein with diverse properties, including voltage-sensitive calcium channel activity, ion selectivity and membrane fusion.

| Molecular | Weight: |
|-----------|---------|
|-----------|---------|

50.3 kDa

NCBI Accession:

NP_001147

Application Details

| /\nn | lication | MOTAC. |
|-----------|----------|---------|
| \neg UU | псанон | TAUTES. |

Recombinant human proteins can be used for:

Native antigens for optimized antibody production

Positive controls in ELISA and other antibody assays

Comment:

The tag is located at the C-terminal.

Restrictions:

For Research Use only

Handling

Buffer:


Lyophilized from a $0.2~\mu M$ filtered solution of 10 mM Tris-HCl, 100 mM NaCl, pH 8.0. Stable for at least 6 months from date of receipt under proper storage and handling conditions.

Storage:

-80 °C

Storage Comment:

Store at -80°C. Thaw on ice, aliquot to individual single-use tubes, and then re-freeze immediately. Only 2-3 freeze thaw cycles are recommended.



Western Blotting

Image 1. Validation with Western Blot