# antibodies - online.com







## **ASL Protein (Transcript Variant 2) (Myc-DYKDDDDK Tag)**



### Image




O -		D	4	page
1-0	$T \cap$	$Pr \cap C$	шет	nane
$\cup$	LO.	1 100	IUCL	Dauc

Overview	
Quantity:	20 μg
Target:	ASL
Protein Characteristics:	Transcript Variant 2
Origin:	Human
Source:	HEK-293 Cells
Protein Type:	Recombinant
Purification tag / Conjugate:	This ASL protein is labelled with Myc-DYKDDDDK Tag.
Application:	Antibody Production (AbP), Standard (STD)
Product Details	
Characteristics:	Recombinant human Arginosuccinase (transcript variant 2) protein expressed in HEK293 cells.
	Produced with end-sequenced ORF clone
Purity:	> 80 % as determined by SDS-PAGE and Coomassie blue staining
Target Details	
Target:	ASL
Alternative Name:	Arginosuccinase (ASL Products)
Background:	This gene encodes a member of the lyase 1 family. The encoded protein forms a cytosolic
	homotetramer and primarily catalyzes the reversible hydrolytic cleavage of argininosuccinate

into arginine and fumarate, an essential step in the liver in detoxifying ammonia via the urea

### **Target Details**

- a. got 2 otalio		
	cycle. Mutations in this gene result in the autosomal recessive disorder argininosuccinic aciduria, or argininosuccinic acid lyase deficiency. A nontranscribed pseudogene is also located on the long arm of chromosome 22. Alternatively spliced transcript variants encoding different isoforms have been described.	
Molecular Weight:	51.5 kDa	
NCBI Accession:	NP_000039	
Pathways:	Response to Growth Hormone Stimulus	
Application Details		
Application Notes:	Recombinant human proteins can be used for:	
	Native antigens for optimized antibody production	
	Positive controls in ELISA and other antibody assays	
Comment:	The tag is located at the C-terminal.	
Restrictions:	For Research Use only	
Handling		
Concentration:	50 μg/mL	
Buffer:	25 mM Tris.HCl, pH 7.3, 100 mM glycine, 10 % glycerol.	
Storage:	-80 °C	
Storage Comment:	mment: Store at -80°C. Thaw on ice, aliquot to individual single-use tubes, and then re-freeze immediately. Only 2-3 freeze thaw cycles are recommended.	



### **Western Blotting**

Image 1. Validation with Western Blot