antibodies -online.com





ATP5J Protein (Transcript Variant 3) (Myc-DYKDDDDK Tag)



Image



Go to Product page

Overview	
Quantity:	20 μg
Target:	ATP5J
Protein Characteristics:	Transcript Variant 3
Origin:	Human
Source:	HEK-293 Cells
Protein Type:	Recombinant
Purification tag / Conjugate:	This ATP5J protein is labelled with Myc-DYKDDDDK Tag.
Application:	Antibody Production (AbP), Standard (STD)
Product Details	

Characteristics:

	cells. • Produced with end-sequenced ORF clone
Purity:	> 80 % as determined by SDS-PAGE and Coomassie blue staining

• Recombinant human ATPase subunit F6 (transcript variant 3) protein expressed in HEK293

Target Details

Target:	ATP5J
Alternative Name:	Atpase Subunit f6 (ATP5J Products)
Background:	Mitochondrial ATP synthase catalyzes ATP synthesis, utilizing an electrochemical gradient of protons across the inner membrane during oxidative phosphorylation. It is composed of two
	linked multi-subunit complexes: the soluble catalytic core, F1, and the membrane-spanning


	component, Fo, which comprises the proton channel. The F1 complex consists of 5 different
	subunits (alpha, beta, gamma, delta, and epsilon) assembled in a ratio of 3 alpha, 3 beta, and a
	single representative of the other 3. The Fo complex has nine subunits (a, b, c, d, e, f, g, F6 and
	8). This gene encodes the F6 subunit of the Fo complex. The F6 subunit is required for F1 and
	Fo interactions. Alternatively spliced transcript variants encoding different isoforms have been
	identified for this gene. This gene has 1 or more pseudogenes.
Molecular Weight:	8.9 kDa
NCBI Accession:	NP_001003696
Pathways:	Proton Transport, Ribonucleoside Biosynthetic Process

Application Details

Application Notes:	Recombinant human proteins can be used for:
	Native antigens for optimized antibody production
	Positive controls in ELISA and other antibody assays
Comment:	The tag is located at the C-terminal.
Restrictions:	For Research Use only

Handling

Concentration:	50 μg/mL
Buffer:	25 mM Tris.HCl, pH 7.3, 100 mM glycine, 10 % glycerol.
Storage:	-80 °C
Storage Comment:	Store at -80°C. Thaw on ice, aliquot to individual single-use tubes, and then re-freeze immediately. Only 2-3 freeze thaw cycles are recommended.



Western Blotting

Image 1. Validation with Western Blot