# antibodies - online.com







## **BCL2L1 Protein (Transcript Variant 2)**



### Image




Go to	Prod	uct	nage

( )	11	$\sim$	rv		۱ ۸
	1 \ /	┙	I \/	╙	1/1

Overview	
Quantity:	10 μg
Target:	BCL2L1
Protein Characteristics:	Transcript Variant 2
Origin:	Human
Source:	Escherichia coli (E. coli)
Protein Type:	Recombinant
Application:	Antibody Production (AbP), Standard (STD)
Product Details	
Characteristics:	<ul> <li>Recombinant human Bcl-2-like 1 (transcript variant 2) protein expressed in E. coli.</li> <li>Produced with end-sequenced ORF clone</li> </ul>
Purity:	> 95 % as determined by SDS-PAGE and Coomassie blue staining
Endotoxin Level:	< 0.1 EU per µg protein as determined by LAL test
Target Details	
Target:	BCL2L1
Alternative Name:	Bcl-2-Like 1 (BCL2L1 Products)
Background:	The protein encoded by this gene belongs to the BCL-2 protein family. BCL-2 family members form hetero- or homodimers and act as anti- or pro-apoptotic regulators that are involved in a wide variety of cellular activities. The proteins encoded by this gene are located at the outer mitochondrial membrane, and have been shown to regulate outer mitochondrial membrane

Target Details	
	channel (VDAC) opening. VDAC regulates mitochondrial membrane potential, and thus controls the production of reactive oxygen species and release of cytochrome C by mitochondria, both of which are the potent inducers of cell apoptosis. Alternative splicing results in multiple transcript variants encoding two different isoforms. The longer isoform acts as an apoptotic inhibitor and the shorter isoform acts as an apoptotic activator.
Molecular Weight:	24.8 kDa
NCBI Accession:	NP_001182
Pathways:	Apoptosis, Negative Regulation of intrinsic apoptotic Signaling
Application Details	
Application Notes:	Recombinant human proteins can be used for:  Native antigens for optimized antibody production  Positive controls in ELISA and other antibody assays
Restrictions:	For Research Use only
Handling	
Concentration:	50 ug/ml

Concentration:	50 μg/mL
Buffer:	20 mM HEPES, 50 mM KCl, 20 % Glycerol, pH 7.5. Avoid repeated freeze-thaw cycles. Stable for at least 3 months from receipt of products under proper storage and handling conditions.
Storage:	-80 °C
Storage Comment:	Store at -80°C. Thaw on ice, aliquot to individual single-use tubes, and then re-freeze immediately. Only 2-3 freeze thaw cycles are recommended.



### **Western Blotting**

Image 1. Validation with Western Blot