antibodies .- online.com





BCL6 Protein (Transcript Variant 1) (Myc-DYKDDDDK Tag)



Image



Go to Product page


Overview	
Quantity:	20 μg
Target:	BCL6
Protein Characteristics:	Transcript Variant 1
Origin:	Human
Source:	HEK-293 Cells
Protein Type:	Recombinant
Purification tag / Conjugate:	This BCL6 protein is labelled with Myc-DYKDDDDK Tag.
Application:	Antibody Production (AbP), Standard (STD)
Product Details	
Characteristics:	 Recombinant human Bcl-6 (transcript variant 1) protein expressed in HEK293 cells. Produced with end-sequenced ORF clone
Purity:	> 80 % as determined by SDS-PAGE and Coomassie blue staining

Target Details

Target:	BCL6
Alternative Name:	Bcl-6 (BCL6 Products)
Background:	The protein encoded by this gene is a zinc finger transcription factor and contains an N-
	terminal POZ domain. This protein acts as a sequence-specific repressor of transcription, and
	has been shown to modulate the transcription of STAT-dependent IL-4 responses of B cells.
	This protein can interact with a variety of POZ-containing proteins that function as transcription

Target Details

	corepressors. This gene is found to be frequently translocated and hypermutated in diffuse large-cell lymphoma (DLCL), and may be involved in the pathogenesis of DLCL. Alternatively spliced transcript variants encoding different protein isoforms have been found for this gene.
Molecular Weight:	78.7 kDa
NCBI Accession:	NP_001697
Pathways:	Chromatin Binding, Regulation of Leukocyte Mediated Immunity, Production of Molecular Mediator of Immune Response, Protein targeting to Nucleus
Application Details	
Application Notes:	Recombinant human proteins can be used for: Native antigens for optimized antibody production Positive controls in ELISA and other antibody assays
Comment:	The tag is located at the C-terminal.
Restrictions:	For Research Use only
Handling	
Concentration:	50 μg/mL
Buffer:	25 mM Tris.HCl, pH 7.3, 100 mM glycine, 10 % glycerol.
Storage:	-80 °C
Storage Comment:	Store at -80°C. Thaw on ice, aliquot to individual single-use tubes, and then re-freeze immediately. Only 2-3 freeze thaw cycles are recommended.



Western Blotting

Image 1. Validation with Western Blot