antibodies -online.com





CRYbA2 Protein (Transcript Variant 3) (Myc-DYKDDDDK Tag)



Image



Go to Product page

\sim			
	N/P	r\/	i⊢₩

Uverview		
Quantity:	20 μg	
Target:	CRYbA2	
Protein Characteristics:	Transcript Variant 3	
Origin:	Human	
Source:	HEK-293 Cells	
Protein Type:	Recombinant	
Purification tag / Conjugate:	This CRYbA2 protein is labelled with Myc-DYKDDDDK Tag.	
Application:	Antibody Production (AbP), Standard (STD)	
Product Details		
Characteristics:	Recombinant human Beta-crystallin A2 (transcript variant 3) protein expressed in HEK293	
	cells.Produced with end-sequenced ORF clone	
Purity:	> 80 % as determined by SDS-PAGE and Coomassie blue staining	
Target Details		
Target:	CRYbA2	
Alternative Name:	beta-Crystallin a2 (CRYbA2 Products)	
Background:	Crystallins are separated into two classes: taxon-specific, or enzyme, and ubiquitous. The latter	
	class constitutes the major proteins of the vertebrate eye, which function to maintain the	
	transparency and refractive index of the lens. Since lens central fiber cells lose their nuclei	

during development, these crystallins are made and then retained throughout life, making them extremely stable proteins. Mammalian lens crystallins are divided into alpha, beta, and gamma families beta and gamma crystallins are also defined as a superfamily. Alpha and beta families are further divided into acidic and basic groups. Seven protein regions exist in crystallins: four homologous motifs, a connecting peptide, and N- and C-terminal extensions. Beta-crystallins, the most heterogeneous, differ by the presence of the C-terminal extension (present in the basic group but absent in the acidic group). Beta-crystallins form aggregates of different sizes and are able to form homodimers through self-association or heterodimers with other beta-crystallins. This gene is a beta acidic group member. Three alternatively spliced transcript variants encoding identical proteins have been reported.

Molecular Weight:

21.9 kDa

NCBI Accession:

NP_476435

Application Details

۸nn	lication	Motoo:

Recombinant human proteins can be used for:

Native antigens for optimized antibody production

Positive controls in ELISA and other antibody assays

Comment:

The tag is located at the C-terminal.


Restrictions:

For Research Use only

Handling

Concentration:	50 μg/mL	
Buffer: 25 mM Tris.HCl, pH 7.3, 100 mM glycine, 10 % glycerol.		
Storage: -80 °C		
Storage Comment:	Store at -80°C. Thaw on ice, aliquot to individual single-use tubes, and then re-freeze	

immediately. Only 2-3 freeze thaw cycles are recommended.



Western Blotting

Image 1. Validation with Western Blot