

## Datasheet for ABIN2715311 BMPR2 Protein (Myc-DYKDDDDK Tag)

Image



o to i roddot page


## Overview

1

Quantity:	20 µg
Target:	BMPR2
Origin:	Human
Source:	HEK-293 Cells
Protein Type:	Recombinant
Purification tag / Conjugate:	This BMPR2 protein is labelled with Myc-DYKDDDDK Tag.
Application:	Antibody Production (AbP), Standard (STD)
Product Details	
Characteristics:	<ul><li>Recombinant human BMPR2 protein expressed in HEK293 cells.</li><li>Produced with end-sequenced ORF clone</li></ul>
Purity:	> 80 % as determined by SDS-PAGE and Coomassie blue staining
Target Details	
Target:	BMPR2
Alternative Name:	Bmpr2 (BMPR2 Products)
Background:	This gene encodes a member of the bone morphogenetic protein (BMP) receptor family of transmembrane serine/threonine kinases. The ligands of this receptor are BMPs, which are members of the TGF-beta superfamily. BMPs are involved in endochondral bone formation and embryogenesis. These proteins transduce their signals through the formation of heteromeric complexes of two different types of serine (threonine) kinase receptors: type I receptors of

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 1/3 | Product datasheet for ABIN2715311 | 07/26/2024 | Copyright antibodies-online. All rights reserved.

	about 50-55 kD and type II receptors of about 70-80 kD. Type II receptors bind ligands in the
	absence of type I receptors, but they require their respective type I receptors for signaling,
	whereas type I receptors require their respective type II receptors for ligand binding. Mutations
	in this gene have been associated with primary pulmonary hypertension, both familial and
	fenfluramine-associated, and with pulmonary venoocclusive disease.
Molecular Weight:	112.2 kDa
NCBI Accession:	NP_001195
Pathways:	Growth Factor Binding
Application Details	
Application Notes:	Recombinant human proteins can be used for:
	Native antigens for optimized antibody production
	Positive controls in ELISA and other antibody assays
Comment:	The tag is located at the C-terminal.
Restrictions:	For Research Use only
Handling	
Concentration:	50 μg/mL
Buffer:	25 mM Tris.HCl, pH 7.3, 100 mM glycine, 10 % glycerol.
Storage:	-80 °C
Storage Comment:	Store at -80°C. Thaw on ice, aliquot to individual single-use tubes, and then re-freeze
	immediately. Only 2-3 freeze thaw cycles are recommended.



Western Blotting

Image 1. Validation with Western Blot

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 3/3 | Product datasheet for ABIN2715311 | 07/26/2024 | Copyright antibodies-online. All rights reserved.