# antibodies - online.com







## anti-BIRC7 antibody

**Images** 



| O         | :         |
|-----------|-----------|
| 1 1\/\pir | view      |
| $\circ$   | V I C V V |

| Overview          |  |
|-------------------|--|
| Quantity:         | 0.1 mL   |
| Target:           | BIRC7  |
| Reactivity:       | Human  |
| Host:             | Mouse  |
| Clonality:        | Monoclonal   |
| Conjugate:        | This BIRC7 antibody is un-conjugated   |
| Application:      | Western Blotting (WB), Immunofluorescence (IF), Flow Cytometry (FACS)                |
| Product Details   |  |
| Immunogen:        | Full length human recombinant protein of human BIRC7 (NP_071444) produced in HEK293T |
|                   | cell.  |
| Clone:            | 1B10   |
| Isotype:          | lgG1   |
| Purification:     | Purified from mouse ascites fluids by affinity chromatography                        |
| Target Details    |  |
| Target:           | BIRC7  |
| Alternative Name: | BIRC7 (BIRC7 Products)   |
| Molecular Weight: | 32.8 kDa   |
| Gene ID:          | 79444  |
|                   |  |

### **Target Details**

| NCBI Accession: | NM_139317 |
|-----------------|-----------|
| HGNC:           | 79444     |


## **Application Details**

| Application Notes: | WB 1:2000, IF 1:100, Flow 1:100                                   |
|--------------------|---|
| Comment:           | The concentration of the product may vary between diferrent lots. |
| Restrictions:      | For Research Use only   |

## Handling


| Format:            | Liquid   |
|--------------------|--|
| Concentration:     | 0.5-1.0 mg/mL  |
| Buffer:            | PBS (pH 7.3) containing 1 % BSA, 50 % glycerol and 0.02 % sodium azide.  |
| Preservative:      | Sodium azide   |
| Precaution of Use: | This product contains sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only. |

### Images




#### Immunofluorescence

**Image 1.** Anti-BIRC7 mouse monoclonal antibody (ABIN2452813) immunofluorescent staining of COS7 cells transiently transfected by pCMV6-ENTRY BIRC7 (RC204906).



#### **Western Blotting**

**Image 2.** HEK293T cells were transfected with the pCMV6-ENTRY control (Left lane) or pCMV6-ENTRY BIRC7 (Right lane) cDNA for 48 hrs and lysed. Equivalent amounts of cell lysates (5 μg per lane) were separated by SDS-PAGE and immunoblotted with anti-BIRC7.



#### **Immunofluorescence**

**Image 3.** Anti-BIRC7 mouse monoclonal antibody (ABIN2452813) immunofluorescent staining of COS7 cells transiently transfected by pCMV6-ENTRY BIRC7 (RC204906).