antibodies - online.com





DDX4 Protein (Transcript Variant 3) (Myc-DYKDDDDK Tag)



Image



O	V	е	r	V	1	9	V	V

Uverview				
Quantity:	20 μg			
Target:	DDX4			
Protein Characteristics:	Transcript Variant 3			
Origin:	Human			
Source:	HEK-293 Cells			
Protein Type:	Recombinant			
Purification tag / Conjugate:	This DDX4 protein is labelled with Myc-DYKDDDDK Tag.			
Application:	Antibody Production (AbP), Standard (STD)			
Product Details				
Characteristics:	 Recombinant human DEAD (Asp-Glu-Ala-Asp) box polypeptide 4 (DDX4), transcript variant (transcript variant 3) protein expressed in HEK293 cells. Produced with end-sequenced ORF clone 			
Purity:	> 80 % as determined by SDS-PAGE and Coomassie blue staining			
Target Details				
Target:	DDX4			
Alternative Name:	Dead (Asp-Glu-Ala-Asp) Box Polypeptide 4 (Ddx4) (DDX4 Products)			
Background:	DEAD box proteins, characterized by the conserved motif Asp-Glu-Ala-Asp (DEAD), are putative RNA helicases. They are implicated in a number of cellular processes involving alteration of			

RNA secondary structure such as translation initiation, nuclear and mitochondrial splicing, and

Target Details

ribosome and spliceosome assembly. Based on their distribution patterns, some members of this family are believed to be involved in embryogenesis, spermatogenesis, and cellular growth and division. This gene encodes a DEAD box protein, which is a homolog of VASA proteins in Drosophila and several other species. The gene is specifically expressed in the germ cell lineage in both sexes and functions in germ cell development. Multiple transcript variants encoding different isoforms have been found for this gene.

Molecular Weight:

79.1 kDa

NCBI Accession:

NP_001129506

Application Details

Application Notes: Rec

Recombinant human proteins can be used for:

Native antigens for optimized antibody production

Positive controls in ELISA and other antibody assays

Comment:

The tag is located at the C-terminal.


Restrictions:

For Research Use only

Handling

Concentration:	centration: 50 μg/mL			
Buffer: 25 mM Tris.HCl, pH 7.3, 100 mM glycine, 10 % glycerol.				
Storage: -80 °C				
Storage Comment:	Store at -80°C. Thaw on ice, aliquot to individual single-use tubes, and then re-freeze			

immediately. Only 2-3 freeze thaw cycles are recommended.



Western Blotting

Image 1. Validation with Western Blot