antibodies.com

Datasheet for ABIN2719369 DEGS1 Protein (Transcript Variant 1) (Myc-DYKDDDDK Tag)



Overview


Image

Overview	
Quantity:	20 µg
Target:	DEGS1
Protein Characteristics:	Transcript Variant 1
Origin:	Human
Source:	HEK-293 Cells
Protein Type:	Recombinant
Purification tag / Conjugate:	This DEGS1 protein is labelled with Myc-DYKDDDDK Tag.
Application:	Antibody Production (AbP), Standard (STD)
Product Details	
Characteristics:	 Recombinant human Degenerative spermatocyte homolog 1, lipid desaturase (Drosophila) (DEGS1), transcript variant 1 (transcript variant 1) protein expressed in HEK293 cells. Produced with end-sequenced ORF clone
Purity:	> 80 % as determined by SDS-PAGE and Coomassie blue staining
Target Details	
Target:	DEGS1
Alternative Name:	Degenerative Spermatocyte Homolog 1, Lipid Desaturase (Drosophila) (Degs1) (DEGS1 Products)
Background:	This gene encodes a member of the membrane fatty acid desaturase family which is

responsible for inserting double bonds into specific positions in fatty acids. This protein

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 1/3 | Product datasheet for ABIN2719369 | 09/11/2023 | Copyright antibodies-online. All rights reserved.

	contains three His-containing consensus motifs that are characteristic of a group of membrane
	fatty acid desaturases. It is predicted to be a multiple membrane-spanning protein localized to
	the endoplasmic reticulum. Overexpression of this gene inhibited biosynthesis of the EGF
	receptor, suggesting a possible role of a fatty acid desaturase in regulating biosynthetic
	processing of the EGF receptor.
Molecular Weight:	37.7 kDa
NCBI Accession:	NP_003667
Application Details	
Application Notes:	Recombinant human proteins can be used for:
	Native antigens for optimized antibody production
	Positive controls in ELISA and other antibody assays
Comment:	The tag is located at the C-terminal.
Restrictions:	For Research Use only
Handling	
Concentration:	50 μg/mL
Buffer:	25 mM Tris.HCl, pH 7.3, 100 mM glycine, 10 % glycerol.
Storage:	-80 °C
Storage Comment:	Store at -80°C. Thaw on ice, aliquot to individual single-use tubes, and then re-freeze
	immediately. Only 2-3 freeze thaw cycles are recommended.



Western Blotting

Image 1. Validation with Western Blot

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 3/3 | Product datasheet for ABIN2719369 | 09/11/2023 | Copyright antibodies-online. All rights reserved.