antibodies -online.com





DMPK Protein (Transcript Variant 2) (Myc-DYKDDDDK Tag)



Image



C ~ .	+ ~	1500	110+	page
(-1()	I() F	$T \cap T$	11 16 11	112016

Overview		
Quantity:	20 μg	
Target:	DMPK	
Protein Characteristics:	Transcript Variant 2	
Origin:	Human	
Source:	HEK-293 Cells	
Protein Type:	Recombinant	
Purification tag / Conjugate:	This DMPK protein is labelled with Myc-DYKDDDDK Tag.	
Application:	Antibody Production (AbP), Standard (STD)	
Product Details		
Characteristics:	 Recombinant human DMPK (transcript variant 2) protein expressed in HEK293 cells. Produced with end-sequenced ORF clone 	
Purity:	> 80 % as determined by SDS-PAGE and Coomassie blue staining	
Target Details		
Target:	DMPK	
Alternative Name:	Dmpk (DMPK Products)	
Background:	The protein encoded by this gene is a serine-threonine kinase that is closely related to other	
	kinases that interact with members of the Rho family of small GTPases. Substrates for this	
	enzyme include myogenin, the beta-subunit of the L-type calcium channels, and	
	phospholemman. The 3' untranslated region of this gene contains 5-38 copies of a CTG	

trinucleotide repeat. Expansion of this unstable motif to 50-5,000 copies causes myotonic
dystrophy type I, which increases in severity with increasing repeat element copy number.
Repeat expansion is associated with condensation of local chromatin structure that disrupts
the expression of genes in this region. Several alternatively spliced transcript variants of this
gene have been described, but the full-length nature of some of these variants has not been
determined.

Molecular Weight: 69.2 kDa

NCBI Accession: NP_004400

Pathways: Regulation of Muscle Cell Differentiation, Synaptic Membrane, Skeletal Muscle Fiber

Development


Application Details

Application Notes:	Recombinant human proteins can be used for:	
	Native antigens for optimized antibody production	
	Positive controls in ELISA and other antibody assays	
Comment:	The tag is located at the C-terminal.	

Restrictions: For Research Use only

Handling

Concentration:	50 μg/mL	
Buffer:	25 mM Tris.HCl, pH 7.3, 100 mM glycine, 10 % glycerol.	
Storage:	-80 °C	
Storage Comment:	Store at -80°C. Thaw on ice, aliquot to individual single-use tubes, and then re-freeze immediately. Only 2-3 freeze thaw cycles are recommended.	



Western Blotting

Image 1. Validation with Western Blot