

Datasheet for ABIN2720538

Estrogen Receptor alpha Protein (Transcript Variant 2) (Myc-DYKDDDK Tag)



Go to Product pag

1 Image

Overview	
Quantity:	20 μg
Target:	Estrogen Receptor alpha (ESR1)
Protein Characteristics:	Transcript Variant 2
Origin:	Human
Source:	HEK-293 Cells
Protein Type:	Recombinant
Purification tag / Conjugate:	This Estrogen Receptor alpha protein is labelled with Myc-DYKDDDDK Tag.
Application:	Antibody Production (AbP), Standard (STD)
Product Details	
Characteristics:	Recombinant human Estrogen receptor alpha (transcript variant 2) protein expressed in
	HEK293 cells.Produced with end-sequenced ORF clone
Purity:	> 80 % as determined by SDS-PAGE and Coomassie blue staining
Target Details	
Target:	Estrogen Receptor alpha (ESR1)
Alternative Name:	Estrogen Receptor alpha (ESR1 Products)
Background:	This gene encodes an estrogen receptor, a ligand-activated transcription factor composed of
	several domains important for hormone binding, DNA binding, and activation of transcription.
	The protein localizes to the nucleus where it may form a homodimer or a heterodimer with

estrogen receptor 2. Estrogen and its receptors are essential for sexual development and
reproductive function, but also play a role in other tissues such as bone. Estrogen receptors are
also involved in pathological processes including breast cancer, endometrial cancer, and
osteoporosis. Alternative promoter usage and alternative splicing result in dozens of transcript
variants, but the full-length nature of many of these variants has not been determined.

Molecular Weight:

66 kDa

NCBI Accession:

NP_001116212

Pathways:


Nuclear Receptor Transcription Pathway, EGFR Signaling Pathway, Retinoic Acid Receptor Signaling Pathway, Intracellular Steroid Hormone Receptor Signaling Pathway, Steroid Hormone Mediated Signaling Pathway, Ribonucleoprotein Complex Subunit Organization, Ribosome Assembly

Application Details

Application Notes:	Recombinant human proteins can be used for:
	Native antigens for optimized antibody production
	Positive controls in ELISA and other antibody assays
Comment:	The tag is located at the C-terminal.
Restrictions:	For Research Use only

Handling

Concentration:	50 μg/mL
Buffer:	25 mM Tris.HCl, pH 7.3, 100 mM glycine, 10 % glycerol.
Storage:	-80 °C
Storage Comment:	Store at -80°C. Thaw on ice, aliquot to individual single-use tubes, and then re-freeze immediately. Only 2-3 freeze thaw cycles are recommended.



Western Blotting

Image 1. Validation with Western Blot