antibodies -online.com





ESRRG Protein (Transcript Variant 4) (Myc-DYKDDDDK Tag)



Image



Go to Product page

\sim					
()	VE	۲۱	/1	\triangle	Λ

Overview		
Quantity:	20 μg	
Target:	ESRRG	
Protein Characteristics:	Transcript Variant 4	
Origin:	Human	
Source:	HEK-293 Cells	
Protein Type:	Recombinant	
Purification tag / Conjugate:	This ESRRG protein is labelled with Myc-DYKDDDDK Tag.	
Application:	Antibody Production (AbP), Standard (STD)	
Product Details		
Characteristics:	Recombinant human Estrogen-related receptor gamma (transcript variant 4) protein	
	expressed in HEK293 cells.Produced with end-sequenced ORF clone	
Purity:	> 80 % as determined by SDS-PAGE and Coomassie blue staining	
Target Details		
Target:	ESRRG	
Alternative Name:	Estrogen-Related Receptor gamma (ESRRG Products)	
Background:	This gene encodes a member of the estrogen receptor-related receptor (ESRR) family, which	
	belongs to the nuclear hormone receptor superfamily. All members of the ESRR family share an	
	almost identical DNA binding domain, which is composed of two C4-type zinc finger motifs.	

The ESRR members are orphan nuclear receptors they bind to the estrogen response element and steroidogenic factor 1 response element, and activate genes controlled by both response elements in the absence of any ligands. The ESRR family is closely related to the estrogen receptor (ER) family. They share target genes, co-regulators and promoters, and by targeting the same set of genes, the ESRRs seem to interfere with the ER-mediated estrogen response in various ways. It has been reported that the family member encoded by this gene functions as a transcriptional activator of DNA cytosine-5-methyltransferases 1 (Dnmt1) expression by direct binding to its response elements in the DNMT1 promoters, modulates cell proliferation and estrogen signaling in breast cancer, and negatively regulates bone morphogenetic protein 2-induced osteoblast differentiation and bone formation. Multiple alternatively spliced transcript variants have been identified, which mainly differ at the 5' end and some of which encode protein isoforms differing in the N-terminal region.


Molecular Weight:	48.4 kDa
NCBI Accession:	NP_001127757
Pathways:	Nuclear Receptor Transcription Pathway, Retinoic Acid Receptor Signaling Pathway, Steroid
	Hormone Mediated Signaling Pathway

Application Details

Application Notes:	Recombinant human proteins can be used for:	
	Native antigens for optimized antibody production	
	Positive controls in ELISA and other antibody assays	
Comment:	The tag is located at the C-terminal.	
Restrictions:	For Research Use only	

Handling

Concentration:	50 μg/mL
Buffer:	25 mM Tris.HCl, pH 7.3, 100 mM glycine, 10 % glycerol.
Storage:	-80 °C
Storage Comment:	Store at -80°C. Thaw on ice, aliquot to individual single-use tubes, and then re-freeze immediately. Only 2-3 freeze thaw cycles are recommended.



Western Blotting

Image 1. Validation with Western Blot