antibodies - online.com







FAU Protein (Myc-DYKDDDDK Tag)



Image



\sim						
	1//	Д	r۱	1	Θ 1	٨

Quantity:	20 μg
Target:	FAU
Origin:	Human
Source:	HEK-293 Cells
Protein Type:	Recombinant
Purification tag / Conjugate:	This FAU protein is labelled with Myc-DYKDDDDK Tag.
Application:	Antibody Production (AbP), Standard (STD)
Product Details	
Characteristics:	 Recombinant human FUBI / FAU protein expressed in HEK293 cells. Produced with end-sequenced ORF clone
Purity:	> 80 % as determined by SDS-PAGE and Coomassie blue staining
Target Details	
Target:	FAU
Alternative Name:	Fubi,fau (FAU Products)
Background:	This gene is the cellular homolog of the fox sequence in the Finkel-Biskis-Reilly murine sarcoma virus (FBR-MuSV). It encodes a fusion protein consisting of the ubiquitin-like protein fubi at the N terminus and ribosomal protein S30 at the C terminus. It has been proposed that the fusion protein is post-translationally processed to generate free fubi and free ribosomal protein S30. Fubi is a member of the ubiquitin family, and ribosomal protein S30 belongs to the S30E family

Target Details

of ribosomal proteins. Whereas the function of fubi is currently unknown, ribosomal protein S30	
is a component of the 40S subunit of the cytoplasmic ribosome and displays antimicrobial	
activity. Pseudogenes derived from this gene are present in the genome. Similar to ribosomal	
protein S30, ribosomal proteins S27a and L40 are synthesized as fusion proteins with ubiquitin.	

14.2 kDa

NCBI Accession: NP_001988


Application Details

Application Notes:	Recombinant human proteins can be used for:
	Native antigens for optimized antibody production
	Positive controls in ELISA and other antibody assays
Comment:	The tag is located at the C-terminal.
Restrictions:	For Research Use only

Handling

Concentration:	50 μg/mL	
Buffer:	25 mM Tris.HCl, pH 7.3, 100 mM glycine, 10 % glycerol.	
Storage:	-80 °C	
Storage Comment:	Store at -80°C. Thaw on ice, aliquot to individual single-use tubes, and then re-freeze	
	immediately. Only 2-3 freeze thaw cycles are recommended.	

Images



Western Blotting

Image 1. Validation with Western Blot