## antibodies.com

## Datasheet for ABIN2722011 GLN1 Protein (Transcript Variant 1) (Myc-DYKDDDDK Tag)



1 Image

Overview


Quantity:	20 µg
Target:	GLN1
Protein Characteristics:	Transcript Variant 1
Origin:	Human
Source:	HEK-293 Cells
Protein Type:	Recombinant
Purification tag / Conjugate:	This GLN1 protein is labelled with Myc-DYKDDDDK Tag.
Application:	Antibody Production (AbP), Standard (STD)
Product Details	
Characteristics:	<ul> <li>Recombinant human Glutamine synthetase (transcript variant 1) protein expressed in HEK293 cells.</li> <li>Produced with end-sequenced ORF clone</li> </ul>
Purity:	> 80 % as determined by SDS-PAGE and Coomassie blue staining
Target Details	
Target:	GLN1
Alternative Name:	Glutamine Synthetase (GLN1 Products)

Background:	The protein encoded by this gene belongs to the glutamine synthetase family. It catalyzes the
	synthesis of glutamine from glutamate and ammonia in an ATP-dependent reaction. This
	protein plays a role in ammonia and glutamate detoxification, acid-base homeostasis, cell

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 1/3 | Product datasheet for ABIN2722011 | 09/11/2023 | Copyright antibodies-online. All rights reserved.

## Target Details

	signaling, and cell proliferation. Glutamine is an abundant amino acid, and is important to the
	biosynthesis of several amino acids, pyrimidines, and purines. Mutations in this gene are
	associated with congenital glutamine deficiency, and overexpression of this gene was observed
	in some primary liver cancer samples. There are six pseudogenes of this gene found on
	chromosomes 2, 5, 9, 11, and 12. Alternative splicing results in multiple transcript variants.
Molecular Weight:	41.9 kDa
NCBI Accession:	NP_002056
Pathways:	Positive Regulation of Peptide Hormone Secretion
Application Details	
Application Notes:	Recombinant human proteins can be used for:
	Native antigens for optimized antibody production
	Positive controls in ELISA and other antibody assays
Comment:	The tag is located at the C-terminal.
Restrictions:	For Research Use only
Handling	
Concentration:	50 µg/mL
Buffer:	25 mM Tris.HCl, pH 7.3, 100 mM glycine, 10 % glycerol.
Storage:	-80 °C
Storage Comment:	Store at -80°C. Thaw on ice, aliquot to individual single-use tubes, and then re-freeze
	immediately. Only 2-3 freeze thaw cycles are recommended.



Western Blotting

Image 1. Validation with Western Blot

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 3/3 | Product datasheet for ABIN2722011 | 09/11/2023 | Copyright antibodies-online. All rights reserved.