antibodies .- online.com





Hairless Protein (HR) (Transcript Variant 1) (Myc-DYKDDDDK Tag)



Go to Product page

1 Image

Overview	
Quantity:	20 μg
Target:	Hairless (HR)
Protein Characteristics:	Transcript Variant 1
Origin:	Human
Source:	HEK-293 Cells
Protein Type:	Recombinant
Purification tag / Conjugate:	This Hairless protein is labelled with Myc-DYKDDDDK Tag.
Application:	Antibody Production (AbP), Standard (STD)
Product Details	
Characteristics:	 Recombinant human Hairless / HR (transcript variant 1) protein expressed in HEK293 cells. Produced with end-sequenced ORF clone
Purity:	> 80 % as determined by SDS-PAGE and Coomassie blue staining
Target Details	
Target:	Hairless (HR)
Alternative Name:	Hairless,hr (HR Products)
Background:	This gene encodes a protein that is involved in hair growth. This protein functions as a transcriptional corepressor of multiple nuclear receptors, including thyroid hormone receptor, the retinoic acid receptor-related orphan receptors and the vitamin D receptors, and it interacts with histone deacetylases. The translation of this protein is modulated by a regulatory open

Target Details

reading frame (ORF) that exists upstream of the primary ORF. Mutations in this upstream ORF
cause Marie Unna hereditary hypotrichosis (MUHH), an autosomal dominant form of genetic
hair loss. Mutations in this gene also cause autosomal recessive congenital alopecia and
atrichia with papular lesions, other diseases resulting in hair loss. Two transcript variants
encoding different isoforms have been found for this gene.

Molecular Weight:

127.3 kDa

NCBI Accession:

NP_005135

For Research Use only


Application Details

Application Notes:	Recombinant human proteins can be used for:
	Native antigens for optimized antibody production
	Positive controls in ELISA and other antibody assays
Comment:	The tag is located at the C-terminal.

Handling

Restrictions:

Concentration:	50 μg/mL
Buffer:	25 mM Tris.HCl, pH 7.3, 100 mM glycine, 10 % glycerol.
Storage:	-80 °C
Storage Comment:	Store at -80°C. Thaw on ice, aliquot to individual single-use tubes, and then re-freeze immediately. Only 2-3 freeze thaw cycles are recommended.



Western Blotting

Image 1. Validation with Western Blot