.-online.com antibodies

Datasheet for ABIN2722416 Hairless Protein (HR) (Transcript Variant 2) (Myc-DYKDDDDK Tag)

Image




Overview

Quantity:	20 µg
Target:	Hairless (HR)
Protein Characteristics:	Transcript Variant 2
Origin:	Human
Source:	HEK-293 Cells
Protein Type:	Recombinant
Purification tag / Conjugate:	This Hairless protein is labelled with Myc-DYKDDDDK Tag.
Application:	Antibody Production (AbP), Standard (STD)
Product Details	
Characteristics:	 Recombinant human Hairless / HR (transcript variant 2) protein expressed in HEK293 cells. Produced with end-sequenced ORF clone
Purity:	> 80 % as determined by SDS-PAGE and Coomassie blue staining
Target Details	
Target:	Hairless (HR)
Alternative Name:	Hairless,hr (HR Products)
Background:	This gene encodes a protein that is involved in hair growth. This protein functions as a transcriptional corepressor of multiple nuclear receptors, including thyroid hormone receptor, the retinoic acid receptor-related orphan receptors and the vitamin D receptors, and it interacts
	with histone deacetylases. The translation of this protein is modulated by a regulatory open

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 1/3 | Product datasheet for ABIN2722416 | 09/11/2023 | Copyright antibodies-online. All rights reserved.

	reading frame (ORF) that exists upstream of the primary ORF. Mutations in this upstream ORF
	cause Marie Unna hereditary hypotrichosis (MUHH), an autosomal dominant form of genetic
	hair loss. Mutations in this gene also cause autosomal recessive congenital alopecia and
	atrichia with papular lesions, other diseases resulting in hair loss. Two transcript variants
	encoding different isoforms have been found for this gene.
Molecular Weight:	121.7 kDa
NCBI Accession:	NP_060881
Application Details	
Application Notes:	Recombinant human proteins can be used for:
	Native antigens for optimized antibody production
	Positive controls in ELISA and other antibody assays
Comment:	The tag is located at the C-terminal.
Restrictions:	For Research Use only
Handling	
Concentration:	50 μg/mL
Buffer:	25 mM Tris.HCl, pH 7.3, 100 mM glycine, 10 % glycerol.
Storage:	-80 °C
Storage Comment:	Store at -80°C. Thaw on ice, aliquot to individual single-use tubes, and then re-freeze
	immediately. Only 2-3 freeze thaw cycles are recommended.



Western Blotting

Image 1. Validation with Western Blot

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 3/3 | Product datasheet for ABIN2722416 | 09/11/2023 | Copyright antibodies-online. All rights reserved.