
## antibodies -online.com





## **HMOX2 Protein (Transcript Variant 3) (Myc-DYKDDDDK Tag)**



Image



Go to Product page


$\sim$					
()	VE	۲۱	/1	$\triangle$	Λ

Overview		
Quantity:	20 μg	
Target:	HMOX2	
Protein Characteristics:	Transcript Variant 3	
Origin:	Human	
Source:	HEK-293 Cells	
Protein Type:	Recombinant	
Purification tag / Conjugate:	This HMOX2 protein is labelled with Myc-DYKDDDDK Tag.	
Application:	Antibody Production (AbP), Standard (STD)	
Product Details		
Characteristics:	Recombinant human Heme oxygenase 2 (HMOX2) (transcript variant 3) protein expressed in	
	<ul><li>HEK293 cells.</li><li>Produced with end-sequenced ORF clone</li></ul>	
Purity:	> 80 % as determined by SDS-PAGE and Coomassie blue staining	
Target Details		
Target:	HMOX2	
Alternative Name:	Heme Oxygenase 2 (Hmox2) (HMOX2 Products)	
Background:	Heme oxygenase, an essential enzyme in heme catabolism, cleaves heme to form biliverdin,	
	which is subsequently converted to bilirubin by biliverdin reductase, and carbon monoxide, a	

putative neurotransmitter. Heme oxygenase activity is induced by its substrate heme and by

## **Target Details**

- a. got 2 otao		
	various nonheme substances. Heme oxygenase occurs as 2 isozymes, an inducible heme oxygenase-1 and a constitutive heme oxygenase-2. HMOX1 and HMOX2 belong to the heme oxygenase family. Several alternatively spliced transcript variants encoding three different isoforms have been found for this gene.	
Molecular Weight:	35.9 kDa	
NCBI Accession:	NP_002125	
Pathways:	Transition Metal Ion Homeostasis	
Application Details		
Application Notes:	Recombinant human proteins can be used for:	
	Native antigens for optimized antibody production	
	Positive controls in ELISA and other antibody assays	
Comment:	The tag is located at the C-terminal.	
Restrictions:	For Research Use only	
Handling		
Concentration:	50 μg/mL	
Buffer:	25 mM Tris.HCl, pH 7.3, 100 mM glycine, 10 % glycerol.	
Storage:	-80 °C	
Storage Comment:	Store at -80°C. Thaw on ice, aliquot to individual single-use tubes, and then re-freeze immediately. Only 2-3 freeze thaw cycles are recommended.	



## **Western Blotting**

Image 1. Validation with Western Blot