antibodies.com

Datasheet for ABIN2722790 Histone 2b (HIST1H2BL) protein (Myc-DYKDDDDK Tag)



Overview

Image

20 µg
Histone 2b (HIST1H2BL)
Human
HEK-293 Cells
Recombinant
Myc-DYKDDDDK Tag
Antibody Production (AbP), Standard (STD)
 Recombinant human Histone cluster 1, H2bl (HIST1H2BL) protein expressed in HEK293 cells. Produced with end-sequenced ORF clone
> 80 % as determined by SDS-PAGE and Coomassie blue staining
Histone 2b (HIST1H2BL)
Histone Cluster 1, h2bl (Hist1h2bl) (HIST1H2BL Products)
Histones are basic nuclear proteins that are responsible for the nucleosome structure of the chromosomal fiber in eukaryotes. Two molecules of each of the four core histones (H2A, H2B, H3, and H4) form an octamer, around which approximately 146 bp of DNA is wrapped in repeating units, called nucleosomes. The linker histone, H1, interacts with linker DNA between


Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 1/3 | Product datasheet for ABIN2722790 | 09/11/2023 | Copyright antibodies-online. All rights reserved.

Angelianting Natary	
Application Details	
NCBI Accession:	NP_003510
Molecular Weight:	13.8 kDa
	termination element. This gene is found in the small histone gene cluster on chromosome 6p22-p21.3.
	H2B family. Transcripts from this gene lack polyA tails but instead contain a palindromic
	gene is intronless and encodes a replication-dependent histone that is a member of the histone
	nucleosomes and functions in the compaction of chromatin into higher order structures. This

Application Notes:	Recombinant human proteins can be used for:
	Native antigens for optimized antibody production
	Positive controls in ELISA and other antibody assays
Comment:	The tag is located at the C-terminal.
Restrictions:	For Research Use only

Handling

Concentration:	50 μg/mL
Buffer:	25 mM Tris.HCl, pH 7.3, 100 mM glycine, 10 % glycerol.
Storage:	-80 °C
Storage Comment:	Store at -80°C. Thaw on ice, aliquot to individual single-use tubes, and then re-freeze
	immediately. Only 2-3 freeze thaw cycles are recommended.



Western Blotting

Image 1. Validation with Western Blot

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 3/3 | Product datasheet for ABIN2722790 | 09/11/2023 | Copyright antibodies-online. All rights reserved.