antibodies -online.com





HNF4A Protein (Transcript Variant 6) (Myc-DYKDDDDK Tag)

2 Images



Go to Product page

Ove	rvi	ew

Quantity:	20 μg
Target:	HNF4A
Protein Characteristics:	Transcript Variant 6
Origin:	Human
Source:	HEK-293 Cells
Protein Type:	Recombinant
Biological Activity:	Active
Purification tag / Conjugate:	This HNF4A protein is labelled with Myc-DYKDDDDK Tag.
Application:	Antibody Production (AbP), Standard (STD), Functional Studies (Func), Protein Interaction (PI)
Product Details	
Specificity:	Optimal preservation of protein structure, post-translational modifications and functions.
Specificity: Characteristics:	Optimal preservation of protein structure, post-translational modifications and functions. Recombinant human HNF4 alpha / TCF14 (transcript variant 6) protein expressed in HEK293 cells.
	Recombinant human HNF4 alpha / TCF14 (transcript variant 6) protein expressed in HEK293
	Recombinant human HNF4 alpha / TCF14 (transcript variant 6) protein expressed in HEK293 cells.
	 Recombinant human HNF4 alpha / TCF14 (transcript variant 6) protein expressed in HEK293 cells. Produced with end-sequenced ORF clone
Characteristics:	 Recombinant human HNF4 alpha / TCF14 (transcript variant 6) protein expressed in HEK293 cells. Produced with end-sequenced ORF clone Tested for bioactivity.
Characteristics: Purity:	 Recombinant human HNF4 alpha / TCF14 (transcript variant 6) protein expressed in HEK293 cells. Produced with end-sequenced ORF clone Tested for bioactivity. > 80 % as determined by SDS-PAGE and Coomassie blue staining
Characteristics: Purity:	 Recombinant human HNF4 alpha / TCF14 (transcript variant 6) protein expressed in HEK293 cells. Produced with end-sequenced ORF clone Tested for bioactivity. > 80 % as determined by SDS-PAGE and Coomassie blue staining HNF4A Activity Verified in a DNA-binding Assay: HNF4A (, transcript variant 6) activity was

Product Details

transferred to a streptavidin-coated microplate to allow capture of the DNA-protein complex. After washing, the captured protein was detected with an anti-DDK peroxidase conjugate and colorimetric signal detection with TMB. Specificity of the protein-DNA interaction was confirmed by carrying out the binding in the presence of an unlabeled competitor oligonucleotide and by comparison to binding to an oligonucleotide containing a mutation in the consensus binding sequence.

Target Details

Target:	HNF4A
Alternative Name:	Hnf4 Alpha,tcf14 (HNF4A Products)
Background:	Transcriptionally controlled transcription factor. Binds to DNA sites required for the transcription of alpha 1-antitrypsin, apolipoprotein CIII, transthyretin genes and HNF1-alpha. May be essential for development of the liver, kidney and intestine. [UniProtKB/Swiss-Prot Function]
Molecular Weight:	43.8 kDa
NCBI Accession:	NP_001025175
Pathways:	AMPK Signaling, Nuclear Receptor Transcription Pathway, Steroid Hormone Mediated Signaling Pathway, Carbohydrate Homeostasis, Cell-Cell Junction Organization, Regulation of Carbohydrate Metabolic Process

Application Details

Application Notes:	Recombinant human proteins can be used for: Native antigens for optimized antibody production Positive controls in ELISA and other antibody assays Protein-protein interaction
	In vitro biochemical assays and cell-based functional assays
Comment:	The tag is located at the C-terminal.
Restrictions:	For Research Use only


Handling

Concentration:	> 50 µg/mL
Buffer:	25 mM Tris.HCl, pH 7.3, 100 mM glycine, 10 % glycerol.

Handling


Storage:	-80 °C
Storage Comment:	Store at -80°C. Thaw on ice, aliquot to individual single-use tubes, and then re-freeze
	immediately. Only 2-3 freeze thaw cycles are recommended.

Images



Activity Assay

Image 1. Bioactivity measured with Activity Assay



Western Blotting

Image 2. Validation with Western Blot