

Datasheet for ABIN2722903

**HNF4A Protein (Transcript Variant 3) (Myc-DYKDDDDK Tag)**[Go to Product page](#)**2** Images

## Overview

Quantity:	20 µg
Target:	HNF4A
Protein Characteristics:	Transcript Variant 3
Origin:	Human
Source:	HEK-293 Cells
Protein Type:	Recombinant
Biological Activity:	Active
Purification tag / Conjugate:	This HNF4A protein is labelled with Myc-DYKDDDDK Tag.
Application:	Antibody Production (AbP), Standard (STD), Functional Studies (Func), Protein Interaction (PI)

## Product Details

Specificity:	Optimal preservation of protein structure, post-translational modifications and functions.
Characteristics:	<ul style="list-style-type: none"><li>• Recombinant human HNF4 alpha / TCF14 (transcript variant 3) protein expressed in HEK293 cells.</li><li>• Produced with end-sequenced ORF clone</li><li>• Tested for bioactivity.</li></ul>
Purity:	> 80 % as determined by SDS-PAGE and Coomassie blue staining
Biological Activity Comment:	HNF4A Activity Verified in a DNA-binding Assay: HNF4A (, transcript variant 3) activity was measured in a colorimetric DNA-binding assay. Purified HNF4A protein containing a C-terminal MYC/DDK tag was incubated with biotinylated double-stranded oligonucleotide containing the HNF4A consensus DNA-binding sequence (see below). Following incubation, the reaction was

## Product Details

transferred to a streptavidin-coated microplate to allow capture of the DNA-protein complex. After washing, the captured protein was detected with an anti-DDK peroxidase conjugate and colorimetric signal detection with TMB. Specificity of the protein-DNA interaction was confirmed by carrying out the binding in the presence of an unlabeled competitor oligonucleotide and by comparison to binding to an oligonucleotide containing a mutation in the consensus binding sequence.

## Target Details

Target:	HNF4A
Alternative Name:	Hnf4 Alpha,tcf14 ( <a href="#">HNF4A Products</a> )
Background:	Transcriptionally controlled transcription factor. Binds to DNA sites required for the transcription of alpha 1-antitrypsin, apolipoprotein CIII, transthyretin genes and HNF1-alpha. May be essential for development of the liver, kidney and intestine. [UniProtKB/Swiss-Prot Function]
Molecular Weight:	46.4 kDa
NCBI Accession:	<a href="#">NP_849181</a>
Pathways:	<a href="#">AMPK Signaling</a> , <a href="#">Nuclear Receptor Transcription Pathway</a> , <a href="#">Steroid Hormone Mediated Signaling Pathway</a> , <a href="#">Carbohydrate Homeostasis</a> , <a href="#">Cell-Cell Junction Organization</a> , <a href="#">Regulation of Carbohydrate Metabolic Process</a>

## Application Details

Application Notes:	Recombinant human proteins can be used for: Native antigens for optimized antibody production Positive controls in ELISA and other antibody assays Protein-protein interaction In vitro biochemical assays and cell-based functional assays
Comment:	The tag is located at the C-terminal.
Restrictions:	For Research Use only


## Handling

Concentration:	> 50 µg/mL
Buffer:	25 mM Tris.HCl, pH 7.3, 100 mM glycine, 10 % glycerol.

Handling


Storage:	-80 °C
Storage Comment:	Store at -80°C. Thaw on ice, aliquot to individual single-use tubes, and then re-freeze immediately. Only 2-3 freeze thaw cycles are recommended.

Images



Activity Assay

Image 1. Bioactivity measured with Activity Assay



Western Blotting

Image 2. Validation with Western Blot