antibodies -online.com







HOMER3 Protein (Transcript Variant 2) (Myc-DYKDDDDK Tag)



Image



_		_		
$G \cap$	to.	Prod	lict	page

\sim							
0	۱۱/	Δ	r\	/ I		1/	١.
\cup	v	$\overline{}$	ΙV	1	$\overline{}$	٧	٧

Overview	erview	
Quantity:	20 μg	
Target:	HOMER3	
Protein Characteristics:	Transcript Variant 2	
Origin:	Human	
Source:	HEK-293 Cells	
Protein Type:	Recombinant	
Purification tag / Conjugate:	This HOMER3 protein is labelled with Myc-DYKDDDDK Tag.	
Application:	Antibody Production (AbP), Standard (STD)	
Product Details		
Characteristics:	 Recombinant human HOMER3 (transcript variant 2) protein expressed in HEK293 cells. Produced with end-sequenced ORF clone 	
Purity:	> 80 % as determined by SDS-PAGE and Coomassie blue staining	
Target Details		
Target:	HOMER3	
Alternative Name:	Homer3 (HOMER3 Products)	
Background:	This gene encodes a member of the HOMER family of postsynaptic density scaffolding	
	proteins that share a similar domain structure consisting of an N-terminal Enabled/vasodilator-	
	stimulated phosphoprotein homology 1 domain which mediates protein-protein interactions,	
	and a carboxy-terminal coiled-coil domain and two leucine zipper motifs that are involved in	

Target Details

self-oligomerization. The encoded protein binds numerous other proteins including group I
metabotropic glutamate receptors, inositol 1,4,5-trisphosphate receptors and amyloid
precursor proteins and has been implicated in diverse biological functions such as neuronal
signaling, T-cell activation and trafficking of amyloid beta peptides. Alternative splicing results
in multiple transcript variants.[provided by RefSeq, Mar 2009].

Molecular Weight:

39.7 kDa

NCBI Accession:


NP_004829

Application Details

Application Notes:	Recombinant human proteins can be used for:
	Native antigens for optimized antibody production
	Positive controls in ELISA and other antibody assays
Comment:	The tag is located at the C-terminal.
Restrictions:	For Research Use only

Handling

Concentration:	50 μg/mL
Buffer:	25 mM Tris.HCl, pH 7.3, 100 mM glycine, 10 % glycerol.
Storage:	-80 °C
Storage Comment:	Store at -80°C. Thaw on ice, aliquot to individual single-use tubes, and then re-freeze immediately. Only 2-3 freeze thaw cycles are recommended.



Western Blotting

Image 1. Validation with Western Blot