antibodies -online.com





HOMER3 Protein (Transcript Variant 1) (Myc-DYKDDDDK Tag)



Image



Go to	- D.σ.	~ ~!	a+ n	~~
(7() () PI)(111		acc

Overview	
Quantity:	20 μg
Target:	HOMER3
Protein Characteristics:	Transcript Variant 1
Origin:	Human
Source:	HEK-293 Cells
Protein Type:	Recombinant
Purification tag / Conjugate:	This HOMER3 protein is labelled with Myc-DYKDDDDK Tag.
Application:	Antibody Production (AbP), Standard (STD)
Product Details	
Characteristics:	 Recombinant human HOMER3 (transcript variant 1) protein expressed in HEK293 cells. Produced with end-sequenced ORF clone
Purity:	> 80 % as determined by SDS-PAGE and Coomassie blue staining
Target Details	
Target:	HOMER3
Alternative Name:	Homer3 (HOMER3 Products)
Background:	This gene encodes a member of the HOMER family of postsynaptic density scaffolding proteins that share a similar domain structure consisting of an N-terminal Enabled/vasodilator-
	stimulated phosphoprotein homology 1 domain which mediates protein-protein interactions,
	and a carboxy-terminal coiled-coil domain and two leucine zipper motifs that are involved in

Target Details

self-oligomerization. The encoded protein binds numerous other proteins including group I
metabotropic glutamate receptors, inositol 1,4,5-trisphosphate receptors and amyloid
precursor proteins and has been implicated in diverse biological functions such as neuronal
signaling, T-cell activation and trafficking of amyloid beta peptides. Alternative splicing results
in multiple transcript variants.[provided by RefSeq, Mar 2009].

Molecular Weight:

39.7 kDa

NCBI Accession:

NP_001139194

Application Details


Application Notes:	Recombinant human proteins can be used for:
	Native antigens for optimized antibody production
	Positive controls in ELISA and other antibody assays
Comment:	The tag is located at the C-terminal.

Restrictions:

For Research Use only

Handling

Concentration:	50 μg/mL
Buffer:	25 mM Tris.HCl, pH 7.3, 100 mM glycine, 10 % glycerol.
Storage:	-80 °C
Storage Comment:	Store at -80°C. Thaw on ice, aliquot to individual single-use tubes, and then re-freeze immediately. Only 2-3 freeze thaw cycles are recommended.



Western Blotting

Image 1. Validation with Western Blot