antibodies .- online.com



Datasheet for ABIN2723003

Homeobox C6 Protein (HOXC6) (Transcript Variant 1) (Myc-DYKDDDK Tag)



Go to Product page

1 Image

| Overview | |
|-------------------------------|--|
| Quantity: | 20 μg |
| Target: | Homeobox C6 (HOXC6) |
| Protein Characteristics: | Transcript Variant 1 |
| Origin: | Human |
| Source: | HEK-293 Cells |
| Protein Type: | Recombinant |
| Purification tag / Conjugate: | This Homeobox C6 protein is labelled with Myc-DYKDDDDK Tag. |
| Application: | Antibody Production (AbP), Standard (STD) |
| Product Details | |
| Characteristics: | Recombinant human HOXC6 / HOX3C (transcript variant 1) protein expressed in HEK293 cells. Produced with end-sequenced ORF clone |
| | Troduced with the sequenced officione |
| Purity: | > 80 % as determined by SDS-PAGE and Coomassie blue staining |
| Target Details | |
| Target: | Homeobox C6 (HOXC6) |
| Alternative Name: | Hoxc6,hox3c (HOXC6 Products) |
| Background: | This gene belongs to the homeobox family, members of which encode a highly conserved family of transcription factors that play an important role in morphogenesis in all multicellular |

organisms. Mammals possess four similar homeobox gene clusters, HOXA, HOXB, HOXC and

Target Details

HOXD, which are located on different chromosomes and consist of 9 to 11 genes arranged in tandem. This gene, HOXC6, is one of several HOXC genes located in a cluster on chromosome 12. Three genes, HOXC5, HOXC4 and HOXC6, share a 5' non-coding exon. Transcripts may include the shared exon spliced to the gene-specific exons, or they may include only the gene-specific exons. Alternatively spliced transcript variants encoding different isoforms have been identified for HOXC6. Transcript variant two includes the shared exon, and transcript variant one includes only gene-specific exons.

Molecular Weight:

26.7 kDa

NCBI Accession:

NP_004494

Application Details

Application Notes:

Recombinant human proteins can be used for:

Native antigens for optimized antibody production

Positive controls in ELISA and other antibody assays

Comment:

The tag is located at the C-terminal.

Restrictions:

For Research Use only

Handling

Concentration:

50 μg/mL

Buffer:

25 mM Tris.HCl, pH 7.3, 100 mM glycine, 10 % glycerol.


Storage:

-80 °C

Storage Comment:

Store at -80°C. Thaw on ice, aliquot to individual single-use tubes, and then re-freeze

immediately. Only 2-3 freeze thaw cycles are recommended.



Western Blotting

Image 1. Validation with Western Blot